



ADULT MEDICATION GUIDELINE

ATROPINE

This document should be read in conjunction with this [DISCLAIMER](#)

Presentation	Ampoule: 600microg/mL
Dose and Administration	KEMH Clinical Guideline: Pain and Anaesthesia: Adult Resuscitation Drug Protocols: Atropine
Pregnancy	1st Trimester: Safe to use 2nd Trimester: Safe to use 3rd Trimester: Safe to use
Breastfeeding	Considered safe to use
Monitoring	Heart rate, urinary retention, vision (blurred)
Clinical Guidelines and Policies	KEMH Clinical Guideline: Pain and Anaesthesia: Adult Resuscitation Drug Protocols: Atropine
References	The Royal Women's Hospital. Atropine. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2017 [cited 2018 Jul 12]. Available from: https://thewomenspbmg.org.au/

Keywords:	Atropine, bradycardia, resuscitation		
Publishing:	<input checked="" type="checkbox"/> Intranet	<input checked="" type="checkbox"/> Internet	
Document owner:	Chief Pharmacist		
Author / Reviewer:	KEMH Pharmacy Department		
Date first issued:	December 2014	Version:	3.0
Last reviewed:	July 2017, July 2018	Next review date:	July 2021
Endorsed by:	Medicines and Therapeutics Committee	Date:	Dec 2018
Standards Applicable:	NSQHS Standards: 1 Governance, 4 Medication Safety, 8 Acute Deterioration		

Printed or personally saved electronic copies of this document are considered uncontrolled.

Access the current version from the WNHS website.

For any enquiries relating to this guideline, please email KEMH.PharmacyAdmin@health.wa.gov.au