



NEONATAL

# ATROPINE

This document should be read in conjunction with this [DISCLAIMER](#)





**HIGH RISK Medication**

An overdose will cause respiratory depression, convulsions and coma.  
Antidote is Neostigmine.

<b>Presentation</b>	Ampoule: 600 microgram/mL
<b>Description</b>	Anticholinergic
<b>Indications</b>	<ul style="list-style-type: none"> <li>• Non-Emergent Endotracheal Intubation             <ul style="list-style-type: none"> <li>○ Prevention of reflex bradycardia</li> </ul> </li> </ul>
<b>Dosage</b>	<p><b><u>Non-Emergent Endotracheal Intubation</u></b></p> <p><b>IV:</b> 20 microg/kg/dose stat</p> <p>Onset: 30 Seconds Peak effect: 2 to 4 minutes Duration: 2 to 6 hours.</p>
<b>Adverse Reactions</b>	<p><b>Common:</b> Tachycardia, flushing, irritability, dry mouth, abdominal distension, oesophageal reflux with decreased oesophageal sphincter tone, decreased gut motility.</p> <p><b>Serious:</b> Arrhythmia, hyperthermia, urinary retention, seizures Closed angle glaucoma.</p>
<b>Compatible Fluids</b>	Sodium Chloride 0.9%
<b>Preparation</b>	<p><b><u>IV:</u></b> <b><i>Dilution</i></b></p> <p>Take 1mL (600microg) and dilute with 5mL of compatible fluid. Final volume is 6mL. <u>Final concentration is 100 microg/mL.</u></p>
<b>Administration</b>	<b><u>IV Bolus:</u></b> Administer over 1 minute.

<b>Monitoring</b>	Heart rate, Urine output, temperature, abdominal distension.
<b>References</b>	<p>Lexicomp. Atropine drug information. In: UpToDate [Internet]. Alphen aan den Rijn (Netherlands): Wolters Kluwer; 2017 [cited 2017 Nov 11]. Available from: <a href="https://www.uptodate.com/">https://www.uptodate.com/</a></p> <p>Truven Health Analytics. Title Atropine. In: NeoFax [Internet]. Greenwood Village (CO): Truven Health Analytics; 2017 [cited 2017 Nov 11]. Available from: <a href="https://neofax.micromedexsolutions.com/">https://neofax.micromedexsolutions.com/</a></p> <p>Australian Medicines Handbook. Atropine. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2017 [cited 2017 Oct 9]. Available from: <a href="https://amhonline.amh.net.au/">https://amhonline.amh.net.au/</a></p>

Document owner:	Head of Department - Neonatology		
Author / Reviewer:	KEMH & PCH Pharmacy / Neonatology Directorate		
Date first issued:	Jan 2013	Version:	3.0
Last reviewed:	November 2017	Next review date:	Nov 2017
Endorsed by:	Neonatal Directorate Management Group	Date:	Dec 2017
Standards Applicable:	NSQHS Standards: 1  Clinical Care is Guided by Current Best Practice, 4  Medication Safety;		
<b>Printed or personally saved electronic copies of this document are considered uncontrolled.  Access the current version from the WNHS website.</b>			

© Department of Health Western Australia 2017