



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 27-MAY-24 to 21-JUL-24

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 29			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	02/06	09/06	16/06	23/06	30/06	07/07	14/07	21/07	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1								16	11	2	1	0.9	1.1
Hepatitis B (unspecified)	11	5	16	14	9	13	10	11	311	263	233	43	37.1	1.2
Hepatitis C (newly acquired)	4		5	2	2	2			77	47	40	4	7.5	0.5
Hepatitis C (re-infection newly acquired)		8			1				15	12	0	1	0.5	1.9
Hepatitis C (unspecified)	20	16	20	19	14	25	15	11	461	461	394	65	62.5	1.0
Hepatitis D	1		1			1			10	2	3	1	0.3	3.0
Enteric diseases														
Campylobacteriosis	58	92	83	90	90	74	68	73	2534	2655	1892	305	270.2	1.1
Cryptosporidiosis	22	19	15	16	22	12	14	10	564	101	188	58	9.6	6.0
Hepatitis A	1				1				11	8	4	1	0.7	1.4
Listeriosis		1				1			3	3	2	1	0.5	1.9
Paratyphoid fever	1			1					5	12	0	0	0.3	0.0
Rotavirus	23	12	18	10	14	17	9	4	458	617	167	44	34.5	1.3
STEC/VTEC infection	1	6	2	5	6	3	1	5	122	149	123	15	9.7	1.5
Salmonellosis	29	35	31	32	32	28	22	20	1056	915	522	102	86.5	1.2
Shigellosis	10	8	17	16	9	14	6	2	315	260	80	31	20.9	1.5
Typhoid									10	14	7	0	0.7	0.0
Vibrio parahaemolyticus	1								15	2	3	0	0.2	0.0
Yersiniosis		2	1	1	1	1		4	82	56	12	6	3.8	1.6
Sexually transmissible infections														
Chlamydia (genital)	252	241	290	224	228	245	249	165	7391	7223	6112	887	887.3	1.0
Gonorrhoea	80	90	117	91	88	93	111	55	2944	2559	1724	347	287.7	1.2
Syphilis - Infectious	12	9	11	12	13	11	8	5	355	431	441	37	56.4	0.7
Syphilis - Non-Infectious	9	3	1	6	7	5	2	5	140	136	129	19	20.5	0.9
Vaccine preventable diseases														
Influenza	239	218	300	334	565	756	772	719	6972	15399	9822	2812	2732.5	1.0
Measles									2	1	0	0	0.3	0.0
Mumps	1			1					8	3	1	0	0.6	0.0
Pertussis	16	8	18	12	8	11	7	4	252	27	17	30	9.6	3.1
Pneumococcal infection	6	4	6	4	7	6	5	4	119	128	119	22	27.1	0.8
Rubella (non-congenital)			1						1	2	0	0	0.2	0.0
Varicella (chicken pox)	11	9	8	8	8	8	8	3	276	249	188	27	42.2	0.6
Varicella (shingles)	45	35	37	36	56	45	25	12	1333	1434	1320	138	182.2	0.8
Varicella (unspecified)	69	60	46	41	48	43	70	59	1510	1546	1319	220	157.0	1.4
Vector-borne diseases														
Barmah Forest virus			1	1					12	23	11	0	1.2	0.0
Chikungunya	1						1		5	6	5	1	0.7	1.4
Dengue fever	16	16	21	10	20	20	5	2	382	118	17	47	8.7	5.4
Malaria	2		1			1	1	1	30	29	15	3	3.1	1.0
Murray Valley encephalitis virus	1								4	7	1	0	0.2	0.0
Ross River virus	2	5	2	4	1	3			177	179	397	4	19.0	0.2
Typhus		1	1	2					20	15	8	0	2.0	0.0
Zoonotic diseases														
Brucellosis									1	1	0	0	0.0	0.0
Leptospirosis									0	3	0	0	0.1	0.0
Q Fever							1		4	7	4	1	0.6	1.7
Other diseases														
Acute post-streptococcal glomerulonephritis			2	2	1	2			22	9	13	3	1.1	2.8
Candida Auris									1	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									2	5	5	0	0.7	0.0
Legionellosis	2	2	4	2	1				37	47	39	1	4.6	0.2
Melioidosis									5	4	3	0	0.4	0.0
Meningococcal infection									4	3	11	0	0.7	0.0
RSV	110	155	183	279	368	377	421	415	3680	4153	2133	1581	577.4	2.7
Tuberculosis	8	7	6	3	2	3	2	1	113	80	48	8	12.0	0.7
iGAS	4	4	1	6	2	6	12	1	135	144	105	21	8.5	2.5
Grand Total	1069	1071	1266	1284	1624	1826	1845	1592						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 29			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	02/06	09/06	16/06	23/06	30/06	07/07	14/07	21/07	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	1								13	6	1	1	0.6	1.7
Hepatitis B (unspecified)	11	5	15	13	7	10	8	9	261	219	190	34	30.7	1.1
Hepatitis C (newly acquired)	1		5	2	2	1			63	39	32	3	5.7	0.5
Hepatitis C (re-infection newly acquired)		7							12	10	0	0	0.4	0.0
Hepatitis C (unspecified)	16	14	15	17	12	20	10	8	348	337	286	50	45.1	1.1
Hepatitis D									7	2	2	0	0.3	0.0
Enteric diseases														
Campylobacteriosis	43	79	67	71	72	58	52	64	1985	2102	1489	246	211.9	1.2
Cryptosporidiosis	20	18	11	14	20	10	11	7	483	51	139	48	6.2	7.7
Hepatitis A	1				1				10	7	3	1	0.5	1.9
Listeriosis		1				1			3	2	2	1	0.4	2.5
Paratyphoid fever	1			1					5	11	0	0	0.3	0.0
Rotavirus	20	11	15	8	12	17	8	2	418	516	139	39	26.5	1.5
STEC/VTEC infection	1	3	2		1	1		3	57	86	74	5	6.3	0.8
Salmonellosis	25	25	23	23	24	24	15	20	823	661	367	83	64.5	1.3
Shigellosis	7	6	13	15	7	9	4	1	242	203	38	21	13.5	1.6
Typhoid									8	11	6	0	0.4	0.0
Vibrio parahaemolyticus									13	2	3	0	0.1	0.0
Yersiniosis		2	1	1	1	1		4	78	47	11	6	3.5	1.7
Sexually transmissible infections														
Chlamydia (genital)	197	186	228	181	185	192	195	122	5801	5666	4808	694	693.3	1.0
Gonorrhoea	60	63	82	64	65	72	83	44	2201	1859	1108	264	198.8	1.3
Syphilis - Infectious	7	6	7	9	8	7	8	5	230	268	290	28	34.0	0.8
Syphilis - Non-Infectious	3	3	1	3	2	4	1	4	83	80	74	11	13.7	0.8
Vaccine preventable diseases														
Influenza	189	176	247	264	462	601	632	581	5465	11339	6950	2276	2102.2	1.1
Measles									2	1	0	0	0.1	0.0
Mumps	1			1					6	3	0	0	0.4	0.0
Pertussis	4	2	4	2	2		2	3	76	22	14	7	8.3	0.8
Pneumococcal infection	4	2	3	2	5	3	4	4	72	80	60	16	15.1	1.1
Rubella (non-congenital)			1						1	2	0	0	0.2	0.0
Varicella (chicken pox)	7	6	7	5	7	2	6	1	217	196	139	16	33.3	0.5
Varicella (shingles)	32	18	25	26	35	32	17	3	871	934	914	87	127.6	0.7
Varicella (unspecified)	60	56	46	40	43	40	66	57	1436	1479	1234	206	148.7	1.4
Vector-borne diseases														
Barmah Forest virus				1					7	6	2	0	0.3	0.0
Chikungunya	1								4	6	4	0	0.7	0.0
Dengue fever	14	12	19	8	17	14	4	2	299	94	14	37	6.8	5.4
Malaria	1		1			1		1	23	22	14	2	2.5	0.8
Murray Valley encephalitis virus	1								2	1	0	0	0.1	0.0
Ross River virus		2	2	1		1			65	89	261	1	9.7	0.1
Typhus			1						10	11	2	0	0.9	0.0
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									0	2	0	0	0.0	0.0
Q Fever									2	3	3	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis					1				7	2	3	1	0.2	5.0
Candida Auris									1	0	0	0	0.0	0.0
Creutzfeldt-Jakob disease									2	4	4	0	0.6	0.0
Legionellosis	1	2	3	2	1				29	31	30	1	3.4	0.3
Melioidosis									1	2	0	0	0.1	0.0
Meningococcal infection									3	1	11	0	0.4	0.0
RSV	75	126	151	250	327	347	373	355	2917	3396	1467	1402	485.8	2.9
Tuberculosis	7	7	5	2	1	2	2	1	92	73	42	6	11.3	0.5
iGAS	4	1		3		2	6	1	72	80	54	9	3.7	2.5
Grand Total	815	839	1000	1029	1320	1472	1507	1303						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5	1	1 (2)	0.4			0.8
Hepatitis B (unspecified)	4	12 (8)	8.4	3	10 (8)	11.3	2	12 (11)	16.0
Hepatitis C (newly acquired)		(1)	0.9		2 (2)	4.2		1 (1)	3.6
Hepatitis C (re-infection newly acquired)			0.5		(1)	0.6		(1)	0.5
Hepatitis C (unspecified)	3	14 (5)	8.0	4	18 (15)	22.2	1	18 (13)	18.0
Hepatitis D						0.3			0.7
Enteric diseases									
Campylobacteriosis	29	88 (103)	94.9	15	80 (85)	95.6	20	78 (87)	82.1
Cryptosporidiosis	5	25 (3)	34.4	2	12	14.3		11 (2)	16.9
Hepatitis A		1	0.4			0.3		(1)	0.7
Listeriosis						0.1		1	0.3
Paratyphoid fever		(1)	0.1						0.5
Rotavirus		11 (25)	17.8		16 (7)	20.8	2	12 (17)	18.9
STEC/VTEC infection	1	2 (2)	3.1		1 (1)	2.0	2	2 (2)	2.6
Salmonellosis	9	32 (22)	50.2	6	28 (20)	34.2	5	23 (18)	28.3
Shigellosis	1	7 (14)	9.8		7 (9)	9.1		7 (12)	14.1
Typhoid			0.3			0.1			0.7
Vibrio parahaemolyticus			0.4			0.7			0.7
Yersiniosis	1	1 (5)	3.3	2	4	4.4	1	1 (2)	3.0
Sexually transmissible infections									
Chlamydia (genital)	45	220 (245)	241.8	31	206 (219)	249.7	46	268 (279)	301.9
Gonorrhoea	14	59 (67)	77.5	9	75 (77)	88.5	21	130 (103)	134.3
Syphilis - Infectious		10 (10)	7.2	3	9 (16)	10.5	2	9 (18)	13.7
Syphilis - Non-Infectious	3	3 (2)	3.1		4 (2)	3.5	1	4 (6)	4.8
Vaccine preventable diseases									
Influenza	240	966*****	310.0	170	594 (951)	203.1	171	716*****	232.4
Measles									0.3
Mumps			0.3			0.3			0.3
Pertussis	3	4 (1)	4.3		2	3.4		1 (1)	2.8
Pneumococcal infection	2	6 (11)	3.5	1	6 (10)	3.5	1	4 (7)	2.9
Rubella (non-congenital)									0.1
Varicella (chicken pox)	1	9 (13)	9.8		3 (10)	8.6		4 (6)	11.2
Varicella (shingles)	1	32 (38)	40.4		27 (35)	42.0	2	28 (49)	37.2
Varicella (unspecified)	12	69 (70)	66.5	17	57 (79)	63.5	28	80 (64)	66.7
Vector-borne diseases									
Barmah Forest virus			0.1			0.7			0.1
Chikungunya					(1)	0.4			0.1
Dengue fever	1	12 (2)	15.5		17 (4)	14.6	1	8 (5)	11.0
Malaria	1	1	0.8			0.7		1 (1)	1.6
Murray Valley encephalitis virus			0.3						
Ross River virus		(3)	3.3		1 (1)	3.9		(4)	1.7
Typhus		(1)	0.1			0.6		(1)	0.7
Zoonotic diseases									
Brucellosis									0.1
Q Fever						0.1		(1)	0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.4		1	0.5
Candida Auris			0.1						
Creutzfeldt-Jakob disease		(2)	0.3						
Legionellosis		(1)	0.8		(3)	1.6		1 (1)	1.6
Melioidosis						0.1			
Meningococcal infection			0.1			0.3			
RSV	128	545 (754)	161.4	80	362 (377)	109.5	147	495 (647)	127.0
Tuberculosis		3 (6)	3.6			3.7	1	3 (8)	5.3
iGAS		2 (2)	2.7		(3)	3.4	1	7 (5)	3.8
Grand Total	504	2134 *****		344	1542 *****		455	1926 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.1			1.6			
Hepatitis B (unspecified)			3.2			1.6		2	10.9
Hepatitis C (newly acquired)		1	0.5		(2)	4.9			
Hepatitis C (re-infection newly acquired)					1 (1)	4.9			
Hepatitis C (unspecified)		2 (4)	13.9	2	2 (5)	29.1	1	3 (1)	15.0
Hepatitis D		1	0.5						
Enteric diseases									
Campylobacteriosis	5	27 (25)	119.5		6 (10)	98.7	1	6 (11)	92.9
Cryptosporidiosis	2	5	18.2			11.3		2 (1)	9.6
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus	1	4 (8)	8.6		(1)	3.2		(1)	2.7
STEC/VTEC infection		2 (3)	7.5		3 (1)	14.6	1	1	13.7
Salmonellosis		8 (7)	35.4		3 (1)	34.0		2 (4)	34.2
Shigellosis		1	7.5			4.9			6.8
Typhoid									
Vibrio parahaemolyticus			0.5						
Yersiniosis			1.6						1.4
Sexually transmissible infections									
Chlamydia (genital)	7	44 (32)	173.1	1	9 (21)	142.4	5	16 (17)	139.3
Gonorrhoea	2	18 (13)	53.6		1	30.7		2 (2)	35.5
Syphilis - Infectious		1	2.7			8.1		1 (1)	6.8
Syphilis - Non-Infectious	1	2	2.7			4.9			4.1
Vaccine preventable diseases									
Influenza	38	188 (445)	236.3	11	46 (164)	194.2	16	43 (69)	146.2
Measles									
Mumps									
Pertussis		9	45.0			1.6			9.6
Pneumococcal infection			3.8		2 (1)	4.9		(1)	4.1
Rubella (non-congenital)									
Varicella (chicken pox)		7 (2)	12.3	1	2	16.2		(1)	8.2
Varicella (shingles)	8	29 (26)	115.7		3 (10)	110.0		1 (4)	56.0
Varicella (unspecified)			3.2		1 (1)	17.8		5 (8)	13.7
Vector-borne diseases									
Barmah Forest virus			0.5						
Chikungunya		1	0.5						
Dengue fever		4 (1)	17.7			11.3		1	5.5
Malaria			0.5						
Murray Valley encephalitis virus									
Ross River virus		1 (2)	23.6			4.9		(2)	2.7
Typhus		(1)	0.5			3.2			4.1
Zoonotic diseases									
Brucellosis									
Q Fever						1.6		1	1.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1	1.6						
Candida Auris									
Creutzfeldt-Jakob disease									
Legionellosis			1.6			3.2			
Melioidosis									1.4
Meningococcal infection									
RSV	33	84 (166)	101.8	6	26 (51)	171.5	3	20 (16)	50.5
Tuberculosis			1.6			4.9		1 (1)	5.5
iGAS		2 (2)	4.3			1.6		2 (2)	6.8
Grand Total	97	442 (737)		21	105 (269)		27	109 (142)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	12.2		1 (2)	4.1	1	2	23.9
Hepatitis C (newly acquired)			3.5			10.3			3.4
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)		3	36.5		1	26.9		1 (5)	17.1
Hepatitis D			1.7						
Enteric diseases									
Campylobacteriosis	1	5 (2)	73.1		5 (10)	93.0	1	4 (4)	68.4
Cryptosporidiosis			15.7			4.1		2 (5)	25.7
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus			7.0			6.2	1	1 (8)	8.6
STEC/VTEC infection	1	2	22.6		(2)	6.2			6.8
Salmonellosis		1	52.2		2	35.1		3 (5)	49.6
Shigellosis		(3)	8.7			2.1	1	3	39.3
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	4	16 (23)	248.9	7	27 (33)	400.9	8	23 (31)	437.9
Gonorrhoea		6 (8)	113.1	1	6 (17)	252.1	4	12 (21)	155.7
Syphilis - Infectious		2 (1)	34.8			39.3		2 (13)	49.6
Syphilis - Non-Infectious		1	29.6		2 (1)	20.7		(1)	17.1
Vaccine preventable diseases									
Influenza	19	66 (113)	247.1	18	52 (96)	285.2	25	91 (181)	381.5
Measles									
Mumps									
Pertussis		1	19.1			88.9		7	25.7
Pneumococcal infection		2 (2)	12.2		1	18.6		(4)	13.7
Rubella (non-congenital)									
Varicella (chicken pox)			12.2			10.3			6.8
Varicella (shingles)		6 (8)	43.5		4 (6)	68.2	1	1 (5)	37.6
Varicella (unspecified)		2 (2)	38.3	1	2 (1)	4.1			1.7
Vector-borne diseases									
Barmah Forest virus			3.5						1.7
Chikungunya									
Dengue fever			3.5			6.2		2	12.0
Malaria									1.7
Murray Valley encephalitis virus			1.7						1.7
Ross River virus		(1)	3.5		1	8.3			18.8
Typhus									3.4
Zoonotic diseases									
Brucellosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			3.5						
Candida Auris									
Creutzfeldt-Jakob disease									
Legionellosis			3.5					(1)	1.7
Melioidosis									
Meningococcal infection						2.1			
RSV	3	9 (33)	59.2	4	10 (25)	55.8	4	13 (20)	133.4
Tuberculosis			3.5		1	8.3			1.7
iGAS		1 (4)	15.7		1	18.6		1 (4)	17.1
Grand Total	29	125 (201)		31	116 (193)		46	168 (308)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	1 (2)	0.6
Hepatitis B (unspecified)		2 (1)	29.7	11	43 (33)	11.5
Hepatitis C (newly acquired)			3.0	0	4 (6)	2.8
Hepatitis C (re-infection newly acquired)				0	1 (3)	0.4
Hepatitis C (unspecified)		2 (1)	35.6	11	65 (50)	17.0
Hepatitis D			3.0	0	1 (0)	0.4
Enteric diseases						
Campylobacteriosis		2 (10)	89.1	73	305 (348)	93.6
Cryptosporidiosis	1	1	14.8	10	58 (11)	20.8
Hepatitis A				0	1 (1)	0.4
Listeriosis				0	1 (1)	0.1
Paratyphoid fever				0	0 (1)	0.2
Rotavirus		(6)	5.9	4	44 (74)	16.9
STEC/VTEC infection		2 (1)	29.7	5	15 (14)	4.5
Salmonellosis		(5)	98.0	20	102 (85)	39.0
Shigellosis		5 (5)	50.5	2	31 (48)	11.6
Typhoid				0	0 (1)	0.4
Vibrio parahaemolyticus				0	0 (0)	0.6
Yersiniosis				4	6 (7)	3.0
Sexually transmissible infections						
Chlamydia (genital)	7	46 (55)	1131.2	165	887 (967)	272.9
Gonorrhoea	3	30 (38)	816.5	55	347 (353)	108.7
Syphilis - Infectious		2 (5)	109.9	5	37 (65)	13.1
Syphilis - Non-Infectious		2	17.8	5	19 (13)	5.1
Vaccine preventable diseases						
Influenza	1	13 (149)	656.2	719	2812*****	257.5
Measles				0	0 (0)	0.1
Mumps				0	0 (0)	0.3
Pertussis	1	6	44.5	4	30 (2)	9.3
Pneumococcal infection		1 (2)	26.7	4	22 (42)	4.4
Rubella (non-congenital)				0	0 (0)	0.0
Varicella (chicken pox)	1	2	11.9	3	27 (32)	10.2
Varicella (shingles)		5 (4)	109.9	12	138 (190)	49.2
Varicella (unspecified)		1	5.9	59	220 (229)	55.8
Vector-borne diseases						
Barmah Forest virus		(1)	3.0	0	0 (1)	0.4
Chikungunya				0	1 (1)	0.2
Dengue fever			11.9	2	47 (13)	14.1
Malaria			3.0	1	3 (3)	1.1
Murray Valley encephalitis virus				0	0 (1)	0.1
Ross River virus		1 (2)	115.8	0	4 (15)	6.5
Typhus				0	0 (4)	0.7
Zoonotic diseases						
Brucellosis				0	0 (0)	0.0
Q Fever				0	1 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1 (2)	29.7	0	3 (3)	0.8
Candida Auris				0	0 (0)	0.0
Creutzfeldt-Jakob disease				0	0 (3)	0.1
Legionellosis				0	1 (8)	1.4
Melioidosis			8.9	0	0 (0)	0.2
Meningococcal infection				0	0 (0)	0.1
RSV	3	6 (22)	742.3	415	1581*****	135.9
Tuberculosis			5.9	1	8 (15)	3.1
iGAS		3 (3)	53.4	1	21 (26)	5.0
Grand Total	17	133 (312)		1592	6887 (9118)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 29	
	02/06	09/06	16/06	23/06	30/06	07/07	14/07	21/07	2024	2023
	Salmonella Total	29	35	31	32	32	28	22	20	1056
Serotype/Phage										
Salmonella Abony									1	0
Salmonella Adelaide	1								2	2
Salmonella Agona			1		1				14	13
Salmonella Albany		1							2	2
Salmonella Anatum					1				8	8
Salmonella Bareilly		1	1	1					4	4
Salmonella Bleadon subsp II									1	0
Salmonella Blukwa									2	0
Salmonella Bonn						1			2	0
Salmonella Bootle									1	0
Salmonella Bovismorbificans		1		1			1		19	15
Salmonella Braenderup			1						3	3
Salmonella Brandenburg									1	2
Salmonella Bredeney									2	1
Salmonella Cerro									5	3
Salmonella Chailey									2	2
Salmonella Chester	3	5	1	1	1	2			52	36
Salmonella Choleraesuis bv Australia									8	12
Salmonella Choleraesuis bv Decatur	1								8	5
Salmonella Corvallis			1						4	4
Salmonella Djama									1	0
Salmonella Eastbourne				1					3	5
Salmonella Emek									2	0
Salmonella Enteritidis	3	3	3	4	5	5	2		103	84
Salmonella Hadar									1	3
Salmonella Haifa									1	0
Salmonella Havana									5	4
Salmonella Heidelberg									3	1
Salmonella Hessarek									1	3
Salmonella Hvittingfoss									6	5
Salmonella Infantis	2			2	1				32	20
Salmonella Jangwani									2	0
Salmonella Javiana									1	2
Salmonella Johannesburg									4	2
Salmonella Jubilee									1	0
Salmonella Kentucky					2	1			11	12
Salmonella Kiambu				1					4	6
Salmonella Kottbus									2	7
Salmonella Lansing						1			3	1
Salmonella Lexington						1			2	0
Salmonella Litchfield									1	2
Salmonella Mbandaka					1				5	0
Salmonella Meleagridis									1	0
Salmonella Mgulani									1	2
Salmonella Mississippi									1	2
Salmonella Montevideo									1	2
Salmonella Muenchen	1	1			1		1		23	15
Salmonella Muenster				1					2	2
Salmonella Muenster var 15+									1	0

Weekly Report for period 27-MAY-24 to 21-JUL-24

	02/06	09/06	16/06	23/06	30/06	07/07	14/07	21/07	Cumulative Total to end of Week 29	
									2024	2023
Salmonella Total	29	35	31	32	32	28	22	20	1056	872
Serotype/Phage										
Salmonella Newport	1	1	1				1		17	18
Salmonella Ohio									1	0
Salmonella Onderstepoort	1								2	0
Salmonella Oranienburg									1	4
Salmonella Orion		1							2	2
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java		5	5	4	8	4	3		87	48
Salmonella Poona							1		2	6
Salmonella Potsdam									2	6
Salmonella Reading		1							3	5
Salmonella Rissen									9	1
Salmonella Saintpaul		1		1	1				21	105
Salmonella Schwarzengrund									2	3
Salmonella Senftenberg	1								6	4
Salmonella Singapore			1						7	3
Salmonella Stanley		1	2			1	1	1	17	19
Salmonella Tennessee				1					4	2
Salmonella Thompson									1	2
Salmonella Typhimurium	12	8	12	9	2	3	3		320	182
Salmonella Virchow		1			1	3			16	8
Salmonella Wangata							1		5	6
Salmonella Waycross									1	0
Salmonella Weltevreden				1					10	16
Salmonella species	2	4	2	4	7	6	8	19	147	139
Salmonella subsp 1 ser 4,5:d:-									1	0
Salmonella subsp I ser 16:l,v:-									3	0
Salmonella subsp IIIb 38:l,v:z53	1								1	0
Salmonella subsp IIIb 48:r:e,n,x,z15									1	0
Salmonella subsp IIIb 61:z52:z53									1	0