



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 05-MAR-26 to 29-APR-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1		1			5	5	12	1	1.4	0.7
Hepatitis B (unspecified)	14	19	4	15	10	12	13	6	196	153	180	41	35.7	1.1
Hepatitis C (newly acquired)		2	3	2	1	4	1	1	30	34	34	7	7.3	1.0
Hepatitis C (re-infection newly acquir			5	12	4	4	8	1	37	2	5	17	1.1	15.9
Hepatitis C (re-infection unspecified)			1	6	3	3	6		20	0	1	12	0.1	90.0
Hepatitis C (unspecified)	24	22	22	15	13	13	7	18	291	265	268	51	60.8	0.8
Hepatitis D		1					1		5	5	5	1	0.7	1.4
Enteric diseases														
Campylobacteriosis	73	60	73	62	60	76	80	29	1457	1324	1581	245	281.3	0.9
Cryptosporidiosis	5	2	1	6	5	4	2	1	74	924	356	12	69.3	0.2
Hepatitis A					2				9	11	9	2	0.7	2.7
Listeriosis	1								3	4	1	0	0.3	0.0
Paratyphoid fever			1						3	7	1	0	0.5	0.0
Rotavirus	20	17	11	10	3	6			374	152	277	9	43.3	0.2
STEC/VTEC infection	2	2	3	1	3	4	3	1	62	68	83	11	14.9	0.7
Salmonellosis	33	35	36	22	27	33	32	9	514	600	711	101	120.1	0.8
Shigellosis	7	11	6	11	7	8	1		150	196	171	16	25.4	0.6
Typhoid	1								10	9	10	0	1.0	0.0
Vibrio parahaemolyticus			1	1	1	1	1		7	7	11	3	1.1	2.6
Yersiniosis	4	3	3	1	2	4	1		53	31	19	7	4.4	1.6
Sexually transmissible infections														
Chlamydia (genital)	295	245	273	239	183	230	221	51	3926	4346	4419	685	929.6	0.7
Gonorrhoea	172	139	128	127	92	156	110	19	2082	1709	1829	377	321.2	1.2
Syphilis - Infectious	10	16	25	16	7	12	9		231	266	217	28	56.9	0.5
Syphilis - Non-Infectious	9	5	7	5	5	6	3	3	111	92	84	17	19.5	0.9
Vaccine preventable diseases														
Diphtheria	5	2	1	8	8	3	15		50	1	0	26	0.1	390.0
H. influenzae type b						1			1	0	0	1	0.0	0.0
Influenza	82	71	67	70	51	44	36	12	1793	5748	2324	143	730.3	0.2
Measles	1								5	18	2	0	1.3	0.0
Mumps	1								2	4	4	0	0.4	0.0
Pertussis	20	23	20	25	14	18	23	4	453	710	135	59	41.5	1.4
Pneumococcal infection	2	2	4	1	2	4	3	1	40	53	59	10	14.0	0.7
Varicella (chicken pox)	9	11	11	5	7	5	6	1	140	157	165	19	35.3	0.5
Varicella (shingles)	40	45	56	38	45	40	25	5	693	823	820	115	197.8	0.6
Varicella (unspecified)	58	59	65	56	54	64	56	31	979	847	858	205	188.2	1.1
Vector-borne diseases														
Barmah Forest virus	2	2			1	1			9	7	9	2	2.3	0.9
Chikungunya		1				1			6	5	3	1	0.7	1.4
Dengue fever		2	8	3	2	5	2		84	214	186	9	25.3	0.4
Malaria	6		1				1		20	8	19	1	2.3	0.4
Ross River virus	11	15	22	12	3	5	2		205	290	133	10	44.6	0.2
Typhus	2				1				14	17	15	1	2.3	0.4
Zoonotic diseases														
Q Fever									2	6	2	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulon	1				1				7	10	14	1	1.8	0.6
COVID-19	90	67	59		2	2	4	1	927	0	0	9	*****	0.0
Creutzfeldt-Jakob disease	1								2	2	1	0	0.4	0.0
Legionellosis		2	2	1	1				13	20	20	1	5.9	0.2
Leprosy					2				2	2	0	2	0.1	15.0
Melioidosis			1						3	8	4	0	1.3	0.0
Meningococcal infection									2	5	3	0	1.1	0.0
Mpox	1				1	1	2		6	10	0	4	0.3	12.0
RSV	93	79	106	105	77	146	131	44	1355	1203	1011	398	201.5	2.0
Tuberculosis	5	2	4	1	4	7	5	3	56	52	62	19	11.3	1.7
iGAS	4	4	6	2	7		3	1	72	61	77	11	12.6	0.9
Grand Total	1104	967	1037	878	712	923	813	242						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 17			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1	1		1			5	4	9	1	1.1	0.9
Hepatitis B (unspecified)	13	16	4	10	9	11	11	4	160	135	145	35	29.3	1.2
Hepatitis C (newly acquired)		2	2	1		3	1		19	27	25	4	6.0	0.7
Hepatitis C (re-infection newly acquir			5	12	4	4	8	1	36	1	4	17	0.8	21.3
Hepatitis C (re-infection unspecified)			1	6	3	3	6		19	0	1	12	0.1	90.0
Hepatitis C (unspecified)	23	18	17	10	11	8	6	14	228	203	202	39	45.8	0.9
Hepatitis D		1					1		5	5	5	1	0.7	1.5
Enteric diseases														
Campylobacteriosis	53	48	58	44	45	60	53	22	1099	1046	1231	180	218.2	0.8
Cryptosporidiosis	2	1		6	1	3	1	1	47	800	314	6	56.8	0.1
Hepatitis A					2				9	9	8	2	0.6	3.3
Listeriosis	1								3	3	1	0	0.2	0.0
Paratyphoid fever			1						3	6	1	0	0.5	0.0
Rotavirus	15	15	9	8	3	5			327	140	259	8	38.1	0.2
STEC/VTEC infection	1	1	2		1	2	2		26	29	44	5	8.0	0.6
Salmonellosis	22	25	22	15	19	27	25	3	367	455	558	74	87.5	0.8
Shigellosis	3	9	4	8	5	6			114	150	133	11	17.6	0.6
Typhoid	1								8	8	8	0	0.6	0.0
Vibrio parahaemolyticus			1	1	1	1	1		7	6	10	3	0.9	3.2
Yersiniosis	4	2	3	1	2	4	1		48	28	17	7	3.5	2.0
Sexually transmissible infections														
Chlamydia (genital)	232	188	212	191	142	178	165	46	3032	3406	3470	531	732.9	0.7
Gonorrhoea	122	103	96	84	67	125	81	15	1545	1238	1377	288	229.3	1.3
Syphilis - Infectious	7	10	17	8	4	7	5		153	187	140	16	36.2	0.4
Syphilis - Non-Infectious	8	3	6	4	4	4	2	2	81	66	49	12	12.9	0.9
Vaccine preventable diseases														
Diphtheria									1	0	0	0	0.1	0.0
Influenza	66	59	52	62	35	28	28	6	1474	4010	1762	97	531.8	0.2
Measles	1								4	8	2	0	0.7	0.0
Mumps	1								2	3	3	0	0.2	0.0
Pertussis	14	15	14	15	12	11	16	3	350	519	48	42	27.2	1.5
Pneumococcal infection		2	2	1	2	3	1	1	23	33	34	7	8.5	0.8
Varicella (chicken pox)	8	7	8	5	4	3	6	1	105	108	136	14	26.4	0.5
Varicella (shingles)	18	35	29	20	27	30	15	4	423	494	542	76	127.7	0.6
Varicella (unspecified)	57	57	64	50	53	63	53	25	945	828	827	194	182.3	1.1
Vector-borne diseases														
Chikungunya		1				1			5	3	3	1	0.7	1.5
Dengue fever		2	7	3	1	5	2		69	168	138	8	20.1	0.4
Malaria	6		1				1		16	3	15	1	1.7	0.6
Ross River virus	4	10	14	6	2	2			110	195	48	4	24.5	0.2
Typhus	1				1				10	10	8	1	1.2	0.8
Zoonotic diseases														
Q Fever									1	6	1	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulon	1				1				4	4	6	1	0.3	3.8
COVID-19	77	57	48		2	1	4	1	793	0	0	8	*****	0.0
Creutzfeldt-Jakob disease									1	1	1	0	0.3	0.0
Legionellosis		1	2	1	1				11	12	17	1	4.2	0.2
Leprosy					1				1	1	0	1	0.1	7.5
Meningococcal infection									2	3	2	0	0.7	0.0
Mpox	1				1	1	2		6	10	0	4	0.3	12.0
RSV	63	58	80	74	53	108	102	37	987	884	647	300	142.5	2.1
Tuberculosis	5	2	3	1	4	4	5	3	49	48	47	16	10.2	1.6
iGAS	3	2	3	1	6		1	1	37	28	47	8	6.8	1.2
Grand Total	833	751	788	648	530	711	605	190						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.4		1	0.2
Hepatitis B (unspecified)	2	8 (3)	5.3		11 (12)	5.9	2	16 (12)	8.4
Hepatitis C (newly acquired)			0.1		2 (4)	1.6		2 (3)	0.7
Hepatitis C (re-infection newly acquired)		1	0.4	1	8	2.2		8	1.9
Hepatitis C (re-infection unspecified)		2	0.2		6	1.4		4	0.7
Hepatitis C (unspecified)	3	7 (9)	4.5	6	14 (22)	14.2	5	18 (20)	9.7
Hepatitis D		(1)	0.1					1 (1)	0.5
Enteric diseases									
Campylobacteriosis	7	63 (55)	45.6	10	63 (58)	46.8	5	54 (70)	42.8
Cryptosporidiosis	1	2 (66)	2.2		2 (43)	1.6		2 (38)	2.0
Hepatitis A		1	0.4		1	0.5			0.2
Listeriosis						0.1			0.2
Paratyphoid fever		(1)	0.1			0.1			0.1
Rotavirus		4 (13)	15.8		3 (10)	10.6		1 (10)	13.6
STEC/VTEC infection		2	1.0		1 (4)	1.4		2 (1)	0.8
Salmonellosis	1	24 (30)	14.4		25 (34)	17.5	2	25 (22)	13.4
Shigellosis		2 (7)	3.7		2 (7)	4.2		7 (9)	6.0
Typhoid			0.2			0.4			0.4
Vibrio parahaemolyticus		1 (1)	0.2			0.3		2 (1)	0.4
Yersiniosis		4 (4)	1.9		2 (3)	1.7		1 (1)	2.2
Sexually transmissible infections									
Chlamydia (genital)	19	148 (216)	107.4	11	164 (261)	124.2	16	219 (257)	140.6
Gonorrhoea	7	84 (69)	49.1	1	75 (83)	59.1	7	129 (111)	80.9
Syphilis - Infectious		2 (8)	3.1		5 (7)	5.7		9 (23)	9.8
Syphilis - Non-Infectious	1	4 (4)	2.2		4 (8)	2.5	1	4 (12)	5.2
Vaccine preventable diseases									
Diphtheria									0.1
H. influenzae type b									
Influenza	2	40 (353)	74.7	2	30 (237)	52.4	2	27 (301)	53.6
Measles		(1)	0.1			0.3		(1)	0.1
Mumps						0.1		(1)	0.1
Pertussis		13 (43)	15.5	1	20 (20)	16.0	2	9 (38)	11.7
Pneumococcal infection		1 (5)	0.6		3 (5)	1.0	1	3 (5)	1.2
Varicella (chicken pox)		3 (4)	4.1		3 (8)	3.5	1	8 (6)	5.2
Varicella (shingles)		27 (33)	18.0	2	19 (32)	15.8	2	30 (40)	18.0
Varicella (unspecified)	7	56 (53)	38.1	8	65 (55)	39.7	10	73 (67)	38.5
Vector-borne diseases									
Barmah Forest virus									
Chikungunya		(1)	0.1		1	0.4			0.1
Dengue fever		4 (11)	4.0		3 (7)	2.1		1 (6)	2.4
Malaria		1	0.2			1.2			0.6
Ross River virus		(2)	2.2		2 (9)	6.7		2 (19)	4.8
Typhus		(1)	0.5		(2)	0.4		1	0.4
Zoonotic diseases									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1	0.2			0.3			
COVID-19		1	36.2	1	4	29.1		3	32.0
Creutzfeldt-Jakob disease						0.1			
Legionellosis		(1)	0.2		1 (1)	0.4		(1)	0.7
Leprosy					1	0.1			
Melioidosis									
Meningococcal infection			0.1			0.1			
Mpox			0.1		1	0.1		3	0.5
RSV	7	88 (93)	38.8	12	99 (51)	41.9	18	113 (78)	40.7
Tuberculosis	2	7 (5)	2.2		4 (4)	1.7	1	5 (4)	2.1
iGAS		1 (1)	0.8	1	5 (4)	2.5		2 (4)	1.3
Grand Total	59	602 *****		56	649 (991)		75	785 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	2.9	1	1	5.9		1 (1)	6.1
Hepatitis C (newly acquired)	1	2	1.4		1 (1)	7.4			
Hepatitis C (re-infection newly acquired)			0.5						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	3	6 (4)	9.2		1 (1)	11.9		1	11.1
Hepatitis D									
Enteric diseases									
Campylobacteriosis	3	22 (23)	63.2	3	8 (6)	61.0	1	12 (6)	55.3
Cryptosporidiosis		2 (7)	5.3		2 (1)	4.5			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)	9.2			1.5		(1)	9.8
STEC/VTEC infection		2 (2)	5.8		(1)	4.5		1 (3)	3.7
Salmonellosis	3	3 (10)	15.4		2 (2)	14.9		(1)	20.9
Shigellosis		2	2.4			3.0			
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		(1)	1.0						1.2
Sexually transmissible infections									
Chlamydia (genital)	1	27 (34)	79.1		10 (8)	83.3	1	9 (10)	62.6
Gonorrhoea	1	13 (10)	30.9		3 (2)	25.3	1	4 (3)	24.6
Syphilis - Infectious		(3)	1.0		1 (3)	3.0			3.7
Syphilis - Non-Infectious		1	2.4		1	4.5			1.2
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	2	9 (85)	53.5		3 (31)	40.2		2 (15)	34.4
Measles									
Mumps									
Pertussis		2 (10)	19.8	1	13 (3)	68.4		(6)	3.7
Pneumococcal infection		(1)	0.5		(1)	4.5			2.5
Varicella (chicken pox)		1 (1)	3.9		1	11.9		(1)	6.1
Varicella (shingles)	1	24 (35)	52.6		5 (4)	68.4		1 (9)	23.3
Varicella (unspecified)		1	1.9	1	1	4.5	1	2 (1)	9.8
Vector-borne diseases									
Barmah Forest virus			1.9						1.2
Chikungunya									
Dengue fever		(1)	2.4		(1)	1.5			3.7
Malaria		(1)	0.5						1.2
Ross River virus		4 (9)	22.7		(5)	22.3			8.6
Typhus									
Zoonotic diseases									
Q Fever						1.5			
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									1.2
COVID-19			32.8			13.4		1	20.9
Creutzfeldt-Jakob disease									1.2
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	3	34 (17)	34.2		3 (1)	25.3		2 (8)	20.9
Tuberculosis			0.5			3.0			
iGAS		1 (1)	2.9		(1)	1.5		(1)	3.7
Grand Total	18	156 (257)		6	56 (72)		4	36 (66)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	2 (1)	5.7		1 (1)	6.9			3.3
Hepatitis C (newly acquired)			2.8						1.7
Hepatitis C (re-infection newly acquired)			1.4						
Hepatitis C (re-infection unspecified)		1 (1)	9.9		(2)	6.9		1 (1)	11.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis		9 (4)	63.6		3 (6)	37.9		3 (2)	51.4
Cryptosporidiosis		1 (3)	12.7					1 (3)	5.0
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus						5.2			8.3
STEC/VTEC infection	1	1 (2)	2.8		2 (2)	5.2		(2)	8.3
Salmonellosis	2	8 (3)	24.0		2 (2)	12.1	1	5 (5)	49.8
Shigellosis		(1)	8.5		2	12.1		(1)	6.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		14 (19)	139.9	1	17 (34)	170.4	1	23 (27)	225.6
Gonorrhoea		8 (13)	69.3	2	15 (19)	96.4		14 (21)	179.1
Syphilis - Infectious		1	12.7			6.9		(2)	26.5
Syphilis - Non-Infectious	1	2 (2)	15.5		1 (1)	1.7			1.7
Vaccine preventable diseases									
Diphtheria					1	3.4		1	3.3
H. influenzae type b									
Influenza	1	11 (29)	80.6		1 (3)	15.5		2 (40)	39.8
Measles			1.4						
Mumps									
Pertussis			2.8		2 (10)	13.8		(3)	1.7
Pneumococcal infection		1 (2)	2.8		2	8.6			5.0
Varicella (chicken pox)		(1)	4.2		1	3.4		1 (1)	6.6
Varicella (shingles)		2 (2)	33.9		2 (8)	36.2		1 (3)	23.2
Varicella (unspecified)		2 (1)	5.7	2	2	5.2			1.7
Vector-borne diseases									
Barmah Forest virus								2	3.3
Chikungunya									1.7
Dengue fever		(1)	2.8		(1)	1.7			
Malaria			1.4						1.7
Ross River virus			2.8			3.4		(1)	3.3
Typhus			1.4						1.7
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		(1)	1.4			1.7			
COVID-19			21.2			13.8			5.0
Creutzfeldt-Jakob disease									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	1	5 (22)	43.8		3 (4)	17.2		7 (2)	58.1
Tuberculosis		1 (1)	1.4						
iGAS		(2)	8.5			5.2			
Grand Total	7	69 (111)		5	57 (93)		2	61 (114)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (1)	0.2
Hepatitis B (unspecified)		1	9.8	6	41 (32)	6.5
Hepatitis C (newly acquired)				1	7 (8)	0.9
Hepatitis C (re-infection newly acquired)				1	17 (0)	1.2
Hepatitis C (re-infection unspecified)				0	12 (0)	0.7
Hepatitis C (unspecified)	1	2	19.6	18	51 (60)	9.6
Hepatitis D				0	1 (2)	0.2
Enteric diseases						
Campylobacteriosis		2 (3)	49.1	29	245 (242)	48.1
Cryptosporidiosis		(2)	2.5	1	12 (163)	2.4
Hepatitis A				0	2 (0)	0.3
Listeriosis				0	0 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus			12.3	0	9 (36)	12.4
STEC/VTEC infection		(2)	17.2	1	11 (19)	2.0
Salmonellosis		4 (5)	56.4	9	101 (115)	17.0
Shigellosis		1	24.5	0	16 (27)	5.0
Typhoid				0	0 (1)	0.3
Vibrio parahaemolyticus				0	3 (3)	0.2
Yersiniosis			2.5	0	7 (9)	1.8
Sexually transmissible infections						
Chlamydia (genital)	1	37 (45)	527.6	51	685 (930)	129.7
Gonorrhoea		25 (29)	454.0	19	377 (367)	68.8
Syphilis - Infectious		8 (7)	88.3	0	28 (53)	7.6
Syphilis - Non-Infectious		(1)	14.7	3	17 (29)	3.6
Vaccine preventable diseases						
Diphtheria		23	108.0	0	26 (0)	1.7
H. influenzae type b		1	2.5	0	1 (0)	0.0
Influenza	2	12 (78)	73.6	12	143*****	59.2
Measles				0	0 (5)	0.2
Mumps				0	0 (1)	0.1
Pertussis		(11)	2.5	4	59 (146)	15.0
Pneumococcal infection			2.5	1	10 (19)	1.3
Varicella (chicken pox)		(1)	9.8	1	19 (25)	4.6
Varicella (shingles)		(9)	39.3	5	115 (176)	22.9
Varicella (unspecified)	1	1	4.9	31	205 (181)	32.3
Vector-borne diseases						
Barmah Forest virus			2.5	0	2 (0)	0.3
Chikungunya				0	1 (2)	0.2
Dengue fever				0	9 (29)	2.8
Malaria				0	1 (1)	0.7
Ross River virus		2 (4)	44.2	0	10 (50)	6.8
Typhus				0	1 (5)	0.5
Zoonotic diseases						
Q Fever				0	0 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	1 (2)	0.2
COVID-19			19.6	1	9 (0)	30.6
Creutzfeldt-Jakob disease				0	0 (1)	0.1
Legionellosis				0	1 (3)	0.4
Leprosy		1	2.5	0	2 (0)	0.0
Melioidosis			7.4	0	0 (6)	0.1
Meningococcal infection				0	0 (4)	0.1
Mpox				0	4 (0)	0.2
RSV	3	40 (17)	412.3	44	398 (298)	44.8
Tuberculosis		1	2.5	3	19 (14)	1.1
iGAS		2 (2)	36.8	1	11 (16)	2.4
Grand Total	8	163 (216)		242	2690 (4277)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 17	
	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	2026	2025
	Salmonella Total	33	35	36	22	27	33	32	9	514
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona	1	1		1					7	4
Salmonella Albany									1	2
Salmonella Anatum				1					4	1
Salmonella Anatum var 15+									1	0
Salmonella Ball									1	0
Salmonella Bareilly									3	22
Salmonella Birkenhead									2	0
Salmonella Bovismorbificans					1				2	7
Salmonella Brandenburg						1			1	0
Salmonella Cerro					1				1	2
Salmonella Chailey							2		2	2
Salmonella Chester	1	1				3			16	19
Salmonella Choleraesuis bv Australia		1	2		1				11	7
Salmonella Choleraesuis bv Decatur		1	1		2				8	7
Salmonella Concord									1	1
Salmonella Corvallis						1			2	2
Salmonella Eastbourne			2						4	1
Salmonella Enteritidis	4	1		3	2	4	1		56	53
Salmonella Fremantle subsp II	2								2	0
Salmonella Give									2	1
Salmonella Havana	1	1	1						8	3
Salmonella Heidelberg									2	3
Salmonella Hvittingfoss					1	1			4	6
Salmonella Infantis	3	1	1		1	1	2		20	15
Salmonella Javiana									0	1
Salmonella Kedougou									1	0
Salmonella Kentucky			1	2					10	10
Salmonella Kiambu		1			1				2	7
Salmonella Kottbus						2			3	0
Salmonella Lexington									1	1
Salmonella Livingstone									1	0
Salmonella Llandoff									1	0
Salmonella London	1								2	0
Salmonella Mbandaka	1					1			4	0
Salmonella Mgulani					1				1	0
Salmonella Montevideo									1	0
Salmonella Muenchen		1	4		2	1	1		13	10
Salmonella Muenster	1		1						3	1
Salmonella Muenster var 15+									0	2
Salmonella Newport	1	1	1	1			3		12	16
Salmonella Oranienburg									1	4
Salmonella Orientalis									1	1
Salmonella Orion						1			1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1	4	1	2	1	3	3		34	46
Salmonella Poona			1			1			6	1
Salmonella Potsdam				1					2	6

Weekly Report for period 05-MAR-26 to 29-APR-26

	11/03	18/03	25/03	01/04	08/04	15/04	22/04	29/04	Cumulative Total to end of Week 17	
									2026	2025
Salmonella Total	33	35	36	22	27	33	32	9	514	566
Serotype/Phage										
Salmonella Reading	1	2		2					7	5
Salmonella Rissen									2	0
Salmonella Rubislaw			2						2	1
Salmonella Saintpaul		2		1		1			13	13
Salmonella Senftenberg									2	2
Salmonella Singapore		1			1				4	3
Salmonella Stanley		2	3	1					9	18
Salmonella Tennessee									7	5
Salmonella Thompson			1						4	5
Salmonella Typhimurium	4	4	2	3	6	2	2		69	131
Salmonella Uganda var 15+	1								1	0
Salmonella Urbana		1				1			3	0
Salmonella Virchow	5	1	1		1	3			21	26
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth			1						2	0
Salmonella Wangata									2	4
Salmonella Welikade									2	2
Salmonella Weltevreden		2	1	1			1		10	12
Salmonella Weltevreden var 15+		1							1	1
Salmonella Zanzibar		1		1					4	2
Salmonella species	5	3	8	2	4	4	18	9	75	63
Salmonella subsp 1 ser 4,5:i:-		1	1		1		1		8	1
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0