



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 12-MAR-26 to 06-MAY-26

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2026	2025	2024			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1		1		1			6	5	12	1	1.5	0.7
Hepatitis B (unspecified)	19	4	15	10	12	12	9	3	201	166	188	36	34.8	1.0
Hepatitis C (newly acquired)	2	3	2	1	5	1	1	2	37	38	36	9	7.2	1.3
Hepatitis C (re-infection newly acquir		5	12	3	4	8	2	4	42	3	5	18	1.0	18.0
Hepatitis C (re-infection unspecified)		1	6	3	3	6			20	1	1	9	0.3	27.0
Hepatitis C (unspecified)	22	22	15	13	12	7	25	14	302	280	281	58	60.9	1.0
Hepatitis D	1					1			5	6	7	1	0.7	1.4
<b>Enteric diseases</b>														
Campylobacteriosis	60	73	63	60	79	86	65	28	1531	1415	1664	258	276.9	0.9
Cryptosporidiosis	2	1	6	5	4	3	2	2	78	972	380	11	63.3	0.2
Hepatitis A				2		1			10	13	9	1	0.7	1.5
Listeriosis									3	4	1	0	0.3	0.0
Paratyphoid fever		1							3	7	2	0	0.5	0.0
Rotavirus	17	11	10	3	6	4	2		380	161	288	12	43.6	0.3
STEC/VTEC infection	2	3	1	3	4	4	2		64	75	85	10	14.4	0.7
Salmonellosis	35	36	22	28	33	36	21	8	539	637	747	98	117.3	0.8
Shigellosis	11	6	11	8	7	4	1	1	155	203	193	13	24.3	0.5
Typhoid		1							11	10	10	0	0.9	0.0
Vibrio parahaemolyticus		2	1	1	1	1	2		10	7	12	4	1.1	3.5
Yersiniosis	3	3	1	2	4	2	2	2	58	31	21	10	4.0	2.5
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	246	272	240	185	228	228	194	79	4157	4594	4693	729	921.3	0.8
Gonorrhoea	139	128	127	92	156	114	121	34	2222	1804	1929	425	320.3	1.3
Syphilis - Infectious	16	24	16	7	14	12	9	1	246	281	236	36	57.5	0.6
Syphilis - Non-Infectious	5	7	6	5	8	5	3	5	121	96	89	21	20.3	1.0
<b>Vaccine preventable diseases</b>														
Diphtheria	2	1	7	9	9	11	6		58	1	0	26	0.1	390.0
H. influenzae type b					1				1	0	0	1	0.0	0.0
Influenza	71	67	70	51	46	36	26	20	1829	6046	2484	128	849.3	0.2
Measles									5	18	2	0	1.3	0.0
Mumps									2	4	4	0	0.3	0.0
Pertussis	23	20	25	16	21	29	16	6	482	761	142	72	41.2	1.7
Pneumococcal infection	2	4	1	2	4	3	4	1	44	55	60	12	14.5	0.8
Tetanus							1		1	1	0	1	0.1	15.0
Varicella (chicken pox)	11	11	5	7	5	6	9	2	150	174	176	22	35.0	0.6
Varicella (shingles)	45	56	38	45	44	44	41	10	762	869	893	139	193.3	0.7
Varicella (unspecified)	59	65	56	54	63	48	62	29	1030	914	915	202	187.0	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus	2			1	1		1		10	7	11	2	2.2	0.9
Chikungunya	1				1				6	7	3	1	0.8	1.3
Dengue fever	2	8	3	2	6	2	1		86	222	218	9	24.5	0.4
Malaria		1				1			20	9	22	1	2.5	0.4
Ross River virus	15	22	12	4	5	4	3		212	299	139	12	41.3	0.3
Typhus				1					14	17	17	0	2.1	0.0
<b>Zoonotic diseases</b>														
Q Fever									2	7	2	0	1.0	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulon				1				1	8	10	14	1	1.9	0.5
COVID-19	67	59		2	2	6	6	1	935	0	0	15	*****	0.0
Creutzfeldt-Jakob disease									2	2	1	0	0.5	0.0
Legionellosis	2	2	1	1				1	14	21	21	1	6.4	0.2
Leprosy				2					2	2	0	0	0.1	0.0
Melioidosis		1							3	8	4	0	1.3	0.0
Meningococcal infection									2	5	3	0	1.2	0.0
Mpox				1	2	3			8	11	0	5	0.4	12.5
RSV	79	106	105	77	149	137	101	46	1467	1306	1074	433	217.3	2.0
Tuberculosis	2	4	1	4	7	5	3	2	58	61	66	17	11.8	1.4
iGAS	4	6	2	7		5	3	1	77	66	81	9	13.0	0.7
<b>Grand Total</b>	<b>968</b>	<b>1037</b>	<b>880</b>	<b>719</b>	<b>946</b>	<b>876</b>	<b>744</b>	<b>303</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 18			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2026	2025	2024			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1	1		1					5	4	9	0	1.1	0.0
Hepatitis B (unspecified)	16	4	10	9	11	11	6	3	165	143	153	31	28.7	1.1
Hepatitis C (newly acquired)	2	2	1		3	1		1	24	29	27	5	5.6	0.9
Hepatitis C (re-infection newly acquir		5	12	3	4	8	2	4	41	1	4	18	0.7	24.5
Hepatitis C (re-infection unspecified)		1	6	3	3	6			19	1	1	9	0.3	33.8
Hepatitis C (unspecified)	18	17	10	11	8	6	18	9	232	212	209	41	45.9	0.9
Hepatitis D	1					1			5	6	7	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	48	58	45	45	62	57	57	26	1167	1123	1288	202	214.7	0.9
Cryptosporidiosis	1		6	1	3	1	2	2	50	839	329	8	51.1	0.2
Hepatitis A				2		1			10	10	8	1	0.5	1.9
Listeriosis									3	3	1	0	0.2	0.0
Paratyphoid fever		1							3	6	2	0	0.5	0.0
Rotavirus	15	9	8	3	5	3	1		331	147	269	9	38.4	0.2
STEC/VTEC infection	1	2		1	2	3			27	32	44	5	7.7	0.7
Salmonellosis	25	22	15	20	27	28	13	6	387	484	586	74	86.3	0.9
Shigellosis	9	4	8	6	5	3		1	118	156	151	9	16.9	0.5
Typhoid		1							9	9	8	0	0.6	0.0
Vibrio parahaemolyticus		2	1	1	1	1	1		9	6	11	3	0.9	3.5
Yersiniosis	2	3	1	2	4	2	2	2	53	28	19	10	3.2	3.1
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	189	211	191	143	177	171	152	74	3218	3606	3679	574	724.4	0.8
Gonorrhoea	103	96	84	66	125	81	92	30	1651	1311	1446	328	227.5	1.4
Syphilis - Infectious	10	16	8	4	9	7	6	1	164	198	151	23	36.8	0.6
Syphilis - Non-Infectious	3	6	5	4	7	4	2	4	91	70	53	17	13.3	1.3
<b>Vaccine preventable diseases</b>														
Diphtheria									1	0	0	0	0.1	0.0
Influenza	59	52	62	35	30	28	20	18	1508	4244	1887	96	631.4	0.2
Measles									4	8	2	0	0.7	0.0
Mumps									2	3	3	0	0.2	0.0
Pertussis	15	14	15	14	12	19	14	5	372	560	49	50	26.3	1.9
Pneumococcal infection	2	2	1	2	3	1	2	1	25	35	35	7	9.1	0.8
Tetanus							1		1	1	0	1	0.1	15.0
Varicella (chicken pox)	7	8	5	4	3	6	9	1	114	123	144	19	26.1	0.7
Varicella (shingles)	35	29	20	27	32	31	21	1	459	514	589	85	124.6	0.7
Varicella (unspecified)	57	64	50	53	62	47	57	27	997	893	884	193	180.7	1.1
<b>Vector-borne diseases</b>														
Chikungunya	1				1				5	5	3	1	0.7	1.4
Dengue fever	2	7	3	1	6	2	1		71	176	168	9	19.3	0.5
Malaria		1				1			16	4	17	1	1.9	0.5
Ross River virus	10	14	6	2	2	1			111	200	51	3	22.4	0.1
Typhus				1					10	10	9	0	1.1	0.0
<b>Zoonotic diseases</b>														
Q Fever									1	7	1	0	0.8	0.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulon				1					4	4	6	0	0.3	0.0
COVID-19	57	48		2	1	5	6	1	800	0	0	13	*****	0.0
Creutzfeldt-Jakob disease				1					1	1	1	0	0.3	0.0
Legionellosis	1	2	1	1				1	12	13	18	1	4.5	0.2
Leprosy				1					1	1	0	0	0.1	0.0
Meningococcal infection									2	3	2	0	0.7	0.0
Mpox				1	2	3			8	11	0	5	0.4	12.5
RSV	58	80	74	53	111	107	83	36	1077	965	691	337	156.6	2.2
Tuberculosis	2	3	1	4	5	5	3	2	53	56	51	15	10.5	1.4
iGAS	2	3	1	6		1	2	1	39	31	49	4	7.1	0.6
<b>Grand Total</b>	<b>752</b>	<b>788</b>	<b>650</b>	<b>533</b>	<b>726</b>	<b>652</b>	<b>573</b>	<b>257</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)						0.4			0.2
Hepatitis B (unspecified)	1	7 (3)	5.4	2	11 (12)	6.3		13 (14)	8.5
Hepatitis C (newly acquired)			0.1		2 (3)	1.8	1	3 (3)	1.1
Hepatitis C (re-infection newly acquired)		2	0.5	4	11	2.7		5	1.9
Hepatitis C (re-infection unspecified)		1	0.2		5 (1)	1.4		3	0.7
Hepatitis C (unspecified)	2	8 (9)	4.8	4	17 (22)	14.3	3	16 (18)	9.7
Hepatitis D		(1)	0.1					1 (1)	0.5
<b>Enteric diseases</b>									
Campylobacteriosis	10	70 (67)	48.5	8	69 (65)	49.6	8	63 (83)	45.5
Cryptosporidiosis	1	4 (67)	2.4		2 (44)	1.6	1	2 (34)	2.1
Hepatitis A		(1)	0.4			0.5		1	0.4
Listeriosis						0.1			0.2
Paratyphoid fever		(1)	0.1			0.1			0.1
Rotavirus		5 (13)	16.2		2 (10)	10.6		2 (11)	13.7
STEC/VTEC infection		2	1.0		1 (7)	1.4		2	0.9
Salmonellosis	3	23 (35)	15.2	2	27 (33)	18.4	1	24 (22)	14.2
Shigellosis	1	3 (7)	4.0		2 (7)	4.4		4 (7)	6.0
Typhoid			0.2		(1)	0.4			0.5
Vibrio parahaemolyticus		2 (1)	0.4			0.4		1 (1)	0.4
Yersiniosis		2 (3)	1.9	1	5 (1)	2.1	1	3 (1)	2.5
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	26	161 (215)	113.6	21	181 (263)	131.9	27	232 (264)	149.6
Gonorrhoea	6	90 (68)	52.2	9	92 (80)	64.6	15	146 (125)	85.4
Syphilis - Infectious		4 (9)	3.5		6 (9)	6.0	1	13 (22)	10.5
Syphilis - Non-Infectious	3	4 (3)	2.5		5 (4)	2.6	1	8 (12)	5.9
<b>Vaccine preventable diseases</b>									
Diphtheria									0.1
H. influenzae type b									
Influenza	8	46 (335)	77.0	4	23 (222)	53.2	6	27 (279)	54.6
Measles		(1)	0.1			0.3		(1)	0.1
Mumps						0.1			0.1
Pertussis	2	17 (40)	16.3	1	20 (31)	17.1	2	13 (43)	12.5
Pneumococcal infection		1 (6)	0.6	1	3 (5)	1.2		3 (5)	1.3
Tetanus					1	0.1			
Varicella (chicken pox)		4 (9)	4.4		6 (10)	4.0	1	9 (10)	5.5
Varicella (shingles)	1	24 (33)	19.1		22 (30)	16.8		39 (37)	20.3
Varicella (unspecified)	8	59 (57)	40.6	8	67 (63)	42.5	11	67 (78)	39.5
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya		(1)	0.1		1 (1)	0.4		(1)	0.1
Dengue fever		4 (13)	4.0		4 (7)	2.3		1 (4)	2.4
Malaria		1	0.2			1.2		(1)	0.6
Ross River virus		(2)	2.2		3 (11)	6.8		(18)	4.8
Typhus			0.5		(1)	0.4			0.4
<b>Zoonotic diseases</b>									
Q Fever									0.1
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3			
COVID-19		2	36.3		6	29.3	1	5	32.4
Creutzfeldt-Jakob disease						0.1			
Legionellosis		(1)	0.2	1	1 (1)	0.5		(2)	0.7
Leprosy						0.1			
Melioidosis									
Meningococcal infection			0.1			0.1			
Mpox			0.1		2	0.3		3 (1)	0.6
RSV	11	102 (108)	42.7	10	113 (57)	46.0	15	122 (90)	43.8
Tuberculosis	1	7 (6)	2.3	1	3 (1)	1.8		5 (7)	2.4
iGAS		(1)	0.7		2 (5)	2.6	1	2 (3)	1.5
<b>Grand Total</b>	<b>84</b>	<b>655 *****</b>		<b>77</b>	<b>715 *****</b>		<b>96</b>	<b>838 *****</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (3)	3.4		1	5.9		1 (1)	6.1
Hepatitis C (newly acquired)	1	3 (2)	1.9		1 (1)	8.9			
Hepatitis C (re-infection newly acquired)			0.5						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	1	6 (5)	9.6		(1)	10.4	1	3 (1)	13.5
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	1	21 (23)	64.1		6 (9)	61.0		12 (5)	56.5
Cryptosporidiosis		(8)	5.3		2 (1)	5.9			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(2)	9.2		1	3.0		(1)	9.8
STEC/VTEC infection		1 (4)	5.8		(1)	4.5		1 (5)	3.7
Salmonellosis		4 (10)	15.9		1 (2)	14.9		(2)	20.9
Shigellosis		2	2.4			3.0			
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		(1)	1.0						1.2
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	28 (32)	83.9		6 (12)	83.3		6 (8)	62.6
Gonorrhoea	1	13 (8)	33.3		2 (1)	25.3		5 (2)	25.8
Syphilis - Infectious		(2)	1.0		1 (2)	3.0			3.7
Syphilis - Non-Infectious	1	1	2.9		1	4.5			1.2
<b>Vaccine preventable diseases</b>									
Diphtheria									
H. influenzae type b									
Influenza		5 (87)	53.5		2 (30)	40.2		2 (12)	34.4
Measles									
Mumps									
Pertussis		3 (13)	20.3		1 16 (2)	75.9		(3)	3.7
Pneumococcal infection		1 (1)	1.0		(1)	4.5			2.5
Tetanus									
Varicella (chicken pox)		(1)	3.9		1 2	13.4			6.1
Varicella (shingles)	4	29 (31)	59.8		3 10 (12)	80.3		3 (11)	25.8
Varicella (unspecified)			1.4			3.0		1 (1)	8.6
<b>Vector-borne diseases</b>									
Barmah Forest virus		1	2.4						1.2
Chikungunya									
Dengue fever			2.4		(1)	1.5			3.7
Malaria		(1)	0.5						1.2
Ross River virus		4 (7)	23.2		(5)	22.3			8.6
Typhus									
<b>Zoonotic diseases</b>									
Q Fever						1.5			
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)	1	1	0.5						1.2
COVID-19		1	33.3			13.4		1	20.9
Creutzfeldt-Jakob disease									1.2
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	35 (21)	37.1		1 (3)	25.3		4 (5)	23.3
Tuberculosis			0.5			3.0			
iGAS		1 (1)	2.9		1 (1)	3.0		(1)	3.7
<b>Grand Total</b>	<b>14</b>	<b>161 (263)</b>		<b>5</b>	<b>54 (85)</b>		<b>1</b>	<b>39 (58)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)					1	1.7			
Hepatitis B (unspecified)		2 (2)	5.7		(1)	5.2			3.3
Hepatitis C (newly acquired)			2.8						1.7
Hepatitis C (re-infection newly acquired)			1.4						
Hepatitis C (re-infection unspecified)			12.7						
Hepatitis C (unspecified)	1	3 (2)		2	2 (2)	10.3		(1)	11.6
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		5 (2)	63.6	1	3 (4)	39.6		3 (2)	51.4
Cryptosporidiosis		1 (1)	12.7					(3)	5.0
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					1	6.9			8.3
STEC/VTEC infection		1 (2)	2.8		1 (2)	5.2		(1)	8.3
Salmonellosis	1	7 (4)	25.4	1	2 (3)	13.8		6 (4)	53.1
Shigellosis		(1)	8.5		1	12.1		(1)	6.6
Typhoid									
Vibrio parahaemolyticus					1	1.7			
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	19 (18)	154.1		18 (31)	177.3		27 (27)	243.8
Gonorrhoea	1	13 (12)	79.2		13 (15)	99.9	1	17 (21)	190.8
Syphilis - Infectious		2	14.1			6.9		(4)	26.5
Syphilis - Non-Infectious		1 (2)	14.1		1	1.7			1.7
<b>Vaccine preventable diseases</b>									
Diphtheria					1	3.4		1	3.3
H. influenzae type b									
Influenza		8 (28)	80.6		1 (8)	15.5	1	2 (37)	41.5
Measles			1.4						
Mumps									
Pertussis			2.8		3 (9)	15.5		(3)	1.7
Pneumococcal infection		2 (2)	4.2		2	8.6			5.0
Tetanus									
Varicella (chicken pox)			4.2		1	3.4		(2)	6.6
Varicella (shingles)		5 (4)	39.6		2 (9)	37.9	2	3 (2)	28.2
Varicella (unspecified)	1	2 (1)	5.7		1	3.4		(1)	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus								1	3.3
Chikungunya									1.7
Dengue fever		(1)	2.8		(1)	1.7			
Malaria			1.4						1.7
Ross River virus		(1)	2.8			3.4		1 (1)	5.0
Typhus			1.4						1.7
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			1.4			1.7			
COVID-19			21.2			13.8			5.0
Creutzfeldt-Jakob disease									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	7 (17)	46.6		2 (5)	18.9	1	8 (2)	63.0
Tuberculosis		1 (2)	1.4						
iGAS		(2)	8.5		1 (1)	6.9		1	1.7
<b>Grand Total</b>	<b>8</b>	<b>79 (104)</b>		<b>4</b>	<b>58 (91)</b>		<b>5</b>	<b>70 (112)</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	1 (1)	0.2
Hepatitis B (unspecified)		(2)	9.8	3	36 (39)	6.6
Hepatitis C (newly acquired)				2	9 (9)	1.2
Hepatitis C (re-infection newly acquired)				4	18 (1)	1.4
Hepatitis C (re-infection unspecified)				0	9 (1)	0.7
Hepatitis C (unspecified)		3	22.1	14	58 (62)	9.9
Hepatitis D				0	1 (2)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis		4 (4)	54.0	28	258 (269)	50.6
Cryptosporidiosis		(6)	2.5	2	11 (164)	2.6
Hepatitis A				0	1 (2)	0.3
Listeriosis				0	0 (0)	0.1
Paratyphoid fever				0	0 (1)	0.1
Rotavirus		(1)	12.3	0	12 (39)	12.6
STEC/VTEC infection		1 (1)	19.6	0	10 (23)	2.1
Salmonellosis		3 (6)	56.4	8	98 (122)	17.8
Shigellosis		1 (1)	27.0	1	13 (25)	5.1
Typhoid				0	0 (1)	0.4
Vibrio parahaemolyticus				0	4 (3)	0.3
Yersiniosis			2.5	2	10 (6)	1.9
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	35 (40)	547.3	79	729 (930)	137.3
Gonorrhoea	1	28 (27)	478.5	34	425 (367)	73.4
Syphilis - Infectious		8 (8)	93.3	1	36 (56)	8.1
Syphilis - Non-Infectious		(1)	14.7	5	21 (23)	3.9
<b>Vaccine preventable diseases</b>						
Diphtheria		23	127.6	0	26 (0)	1.9
H. influenzae type b		1	2.5	0	1 (0)	0.0
Influenza	1	8 (48)	76.1	20	128*****	60.4
Measles				0	0 (3)	0.2
Mumps				0	0 (0)	0.1
Pertussis		(10)	2.5	6	72 (156)	15.9
Pneumococcal infection			2.5	1	12 (20)	1.5
Tetanus				0	1 (0)	0.0
Varicella (chicken pox)		(1)	9.8	2	22 (35)	5.0
Varicella (shingles)		(8)	39.3	10	139 (179)	25.2
Varicella (unspecified)		3	9.8	29	202 (203)	34.0
<b>Vector-borne diseases</b>						
Barmah Forest virus			2.5	0	2 (0)	0.3
Chikungunya				0	1 (4)	0.2
Dengue fever				0	9 (28)	2.8
Malaria				0	1 (2)	0.7
Ross River virus		4 (2)	54.0	0	12 (47)	7.0
Typhus				0	0 (2)	0.5
<b>Zoonotic diseases</b>						
Q Fever				0	0 (2)	0.1
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)				1	1 (0)	0.3
COVID-19			19.6	1	15 (0)	30.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis				1	1 (4)	0.5
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			7.4	0	0 (5)	0.1
Meningococcal infection				0	0 (4)	0.1
Mpox				0	5 (1)	0.3
RSV	4	34 (18)	429.5	46	433 (331)	48.5
Tuberculosis		1	2.5	2	17 (16)	1.2
iGAS		1 (2)	36.8	1	9 (17)	2.5
<b>Grand Total</b>	<b>7</b>	<b>158 (186)</b>		<b>303</b>	<b>2869 (4319)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 18	
	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	2026	2025
	<b>Salmonella Total</b>	<b>35</b>	<b>36</b>	<b>22</b>	<b>28</b>	<b>33</b>	<b>36</b>	<b>21</b>	<b>8</b>	<b>539</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona	1		1						7	6
Salmonella Albany									1	2
Salmonella Anatum			1						4	1
Salmonella Anatum var 15+									1	0
Salmonella Ball									1	0
Salmonella Bareilly						1			4	22
Salmonella Birkenhead									2	0
Salmonella Blukwa							1		1	0
Salmonella Bovismorbificans				1		1	1		4	7
Salmonella Brandenburg					1				1	0
Salmonella Cerro				1					1	2
Salmonella Chailey					2				2	2
Salmonella Chester	1				3	1	1		18	19
Salmonella Choleraesuis bv Australia	1	2		1	1	1			13	7
Salmonella Choleraesuis bv Decatur	1	1		2					8	7
Salmonella Concord									1	1
Salmonella Corvallis					1				2	2
Salmonella Derby							1		1	0
Salmonella Eastbourne		2							4	1
Salmonella Enteritidis	1		3	2	4	4	1		60	62
Salmonella Fremantle subsp II									2	0
Salmonella Give									2	1
Salmonella Havana	1	1							8	3
Salmonella Heidelberg									2	5
Salmonella Houten subsp IV							1		1	0
Salmonella Hvittingfoss				1	1		1		5	7
Salmonella Infantis	1	1		1	1	3	1		22	16
Salmonella Isangi						1			1	0
Salmonella Javiana									0	1
Salmonella Kedougou									1	0
Salmonella Kentucky		1	2			1			11	11
Salmonella Kiambu	1			1					2	7
Salmonella Kottbus					2				3	0
Salmonella Lexington									1	1
Salmonella Livingstone									1	0
Salmonella Llandoff									1	0
Salmonella London									2	0
Salmonella Mbandaka					2				5	0
Salmonella Mgulani				1					1	0
Salmonella Montevideo									1	0
Salmonella Muenchen	1	4		2	1	1			13	10
Salmonella Muenster		1							3	1
Salmonella Muenster var 15+						1			1	2
Salmonella Newport	1	1	1	1		2	1		13	17
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	1
Salmonella Orion					1				1	0

# Weekly Report for period 12-MAR-26 to 06-MAY-26

	18/03	25/03	01/04	08/04	15/04	22/04	29/04	06/05	Cumulative Total to end of Week 18	
									2026	2025
<b>Salmonella Total</b>	<b>35</b>	<b>36</b>	<b>22</b>	<b>28</b>	<b>33</b>	<b>36</b>	<b>21</b>	<b>8</b>	<b>539</b>	<b>600</b>
<b>Serotype/Phage</b>										
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	4	1	2	1	3	5			36	48
Salmonella Poona		1			1				6	1
Salmonella Potsdam			1						2	6
Salmonella Reading	2		2						7	5
Salmonella Rissen									2	0
Salmonella Rubislaw		2							2	1
Salmonella Saintpaul	2		1		1	1			14	16
Salmonella Senftenberg									2	2
Salmonella Singapore	1			1					4	3
Salmonella Stanley	2	3	1		1	1			11	19
Salmonella Tennessee									7	5
Salmonella Thompson		1							4	5
Salmonella Typhimurium	4	2	3	6	2	4	1		72	133
Salmonella Uganda var 15+									1	0
Salmonella Urbana	1				1				3	0
Salmonella Virchow	1	1		1	3	1			22	29
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth		1							2	0
Salmonella Wangata									2	4
Salmonella Waycross						1			1	0
Salmonella Welikade									2	2
Salmonella Weltevreden	2	1	1			1			10	13
Salmonella Weltevreden var 15+	1								1	2
Salmonella Zanzibar	1		1						4	2
Salmonella species	3	8	2	4	1	3	11	8	67	65
Salmonella subsp 1 ser 4,5:i:-	1	1		1		2			9	2
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0