



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 21-MAY-26 to 15-JUL-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)	2				2	3			16	12	15	5	1.3	3.8
Hepatitis B (unspecified)	9	11	11	15	11	7	12	10	305	288	286	40	34.8	1.1
Hepatitis C (newly acquired)	19	4		1	1	3			70	66	65	4	8.7	0.5
Hepatitis C (re-infection newly acquired)	2	4	2	1	2	10	3		88	10	21	15	1.4	10.7
Hepatitis C (re-infection unspecified)	1	1	2	2	2	2	1	2	37	4	4	7	0.6	11.7
Hepatitis C (unspecified)	24	14	12	19	16	21	8	13	459	439	447	58	58.1	1.0
Hepatitis D			2				1	1	10	10	10	2	1.3	1.5
Enteric diseases														
Campylobacteriosis	96	62	72	103	89	66	92	28	2344	2223	2493	275	306.8	0.9
Cryptosporidiosis	3	1	7	3	1	2	2		104	1132	558	5	27.7	0.2
Hepatitis A									13	18	11	0	1.1	0.0
Listeriosis	1				1	1		1	9	5	4	3	0.6	5.0
Paratyphoid fever									6	7	5	0	0.3	0.0
Rotavirus	11	9	7	7	4	1	1		443	380	453	6	62.7	0.1
STEC/VTEC infection	3	5	3	4	3	5	4		98	114	120	12	12.1	1.0
Salmonellosis	26	29	24	21	18	31	20	4	825	902	1040	73	81.9	0.9
Shigellosis	4	4	2	8	8	5	5		235	269	319	18	26.2	0.7
Typhoid									13	12	11	0	1.0	0.0
Vibrio parahaemolyticus			2	1	1	1			17	16	16	2	0.8	2.5
Yersiniosis	6	2	4	2			2	1	82	48	26	3	4.4	0.7
Sexually transmissible infections														
Chlamydia (genital)	242	182	218	219	222	240	195	66	6427	6962	7248	723	926.9	0.8
Gonorrhoea	110	86	123	109	100	134	99	22	3317	2827	2902	355	330.1	1.1
Syphilis - Infectious	9	10	12	13	12	13	5	2	390	427	354	32	57.9	0.6
Syphilis - Non-Infectious	9	5	10	16	11	5	6	4	204	170	140	26	23.3	1.1
Vaccine preventable diseases														
Diphtheria	10	21	15	14	8	6	8	1	188	1	0	23	0.0	0.0
H. influenzae type b									1	0	0	0	0.1	0.0
Influenza	69	97	128	215	363	493	545	228	4179	13810	6311	1629	2974.2	0.5
Measles									5	23	2	0	0.8	0.0
Mumps									3	5	8	0	0.6	0.0
Pertussis	33	28	24	29	36	21	16	6	759	1107	270	79	42.5	1.9
Pneumococcal infection	3	6	4	6	5	9	13	4	113	127	117	31	27.5	1.1
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	15	18	15	19	12	10	16	2	288	299	277	40	39.0	1.0
Varicella (shingles)	46	53	55	40	46	31	29	3	1312	1351	1375	109	181.2	0.6
Varicella (unspecified)	56	64	65	65	54	61	62	27	1540	1424	1422	204	187.9	1.1
Vector-borne diseases														
Barmah Forest virus									14	10	15	0	1.1	0.0
Chikungunya		1							9	19	5	0	1.1	0.0
Dengue fever	2	1	2	3	4	3	3		111	270	385	10	18.9	0.5
Malaria	1			1	1	1	1		28	13	32	3	2.5	1.2
Murray Valley encephalitis virus	1								1	3	4	0	0.3	0.0
Ross River virus	7	4	7	6	2	4	1		267	331	179	7	15.9	0.4
Typhus	1					1	1		18	26	24	2	2.5	0.8
Zoonotic diseases														
Leptospirosis		1							1	1	0	0	0.1	0.0
Q Fever	1				1				7	10	5	1	0.9	1.2
Other diseases														
Acute post-streptococcal glomerulonephritis				2	2				15	12	23	2	1.6	1.3
Amoebic meningitis		1							1	0	0	0	0.1	0.0
COVID-19	120	113	119	143	135	154	160	70	2693	8580	10520	519	*****	0.0
Creutzfeldt-Jakob disease									2	2	2	0	0.7	0.0
Haemolytic Uraemic Syndrome		1							1	1	0	0	0.0	0.0
Legionellosis		2			2	2			24	32	40	4	5.3	0.8
Leprosy									2	2	0	0	0.1	0.0
Melioidosis									4	11	5	0	0.4	0.0
Meningococcal infection							1		3	8	5	1	0.8	1.3
Mpox	9	1	1		1	1	1		35	15	0	3	0.5	6.4
RSV	198	222	313	416	526	636	624	316	5133	4540	3299	2102	1188.7	1.8
Tuberculosis	1		6	1	4	3		5	84	99	110	12	12.3	1.0
iGAS	7	4	8	2	9	5	2	1	131	108	137	17	15.9	1.1
Grand Total	1157	1067	1275	1506	1715	1991	1939	817						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 28			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)	1				1	3			12	10	12	4	1.1	3.5
Hepatitis B (unspecified)	9	8	10	10	8	7	11	8	251	235	241	34	28.3	1.2
Hepatitis C (newly acquired)	17								45	49	49	0	7.0	0.0
Hepatitis C (re-infection newly acquired)	2	3	2	1	2	7	2		79	3	18	11	0.7	15.0
Hepatitis C (re-infection unspecified)	1	1	2	2	2	2	1	1	35	3	4	6	0.5	12.9
Hepatitis C (unspecified)	16	11	8	16	10	17	6	11	351	335	340	44	43.1	1.0
Hepatitis D			2				1	1	10	10	7	2	1.0	2.0
Enteric diseases														
Campylobacteriosis	65	52	59	82	74	58	68	19	1815	1756	1944	219	239.0	0.9
Cryptosporidiosis		1	5	2		1	1		65	967	478	2	20.7	0.1
Hepatitis A									13	11	10	0	0.6	0.0
Listeriosis	1					1		1	8	4	4	2	0.5	4.3
Paratyphoid fever									3	6	5	0	0.3	0.0
Rotavirus	9	9	7	7	4	1			389	245	416	5	37.5	0.1
STEC/VTEC infection	2	2	1	1	1	2	1		39	50	54	4	5.8	0.7
Salmonellosis	22	20	15	12	13	23	11	1	580	674	806	48	59.7	0.8
Shigellosis	3	3	1	6	6	3	2		177	193	245	11	17.7	0.6
Typhoid									11	10	9	0	0.5	0.0
Vibrio parahaemolyticus			2	1	1	1			16	12	14	2	0.5	3.8
Yersiniosis	6	1	2	2			2	1	73	43	24	3	3.9	0.8
Sexually transmissible infections														
Chlamydia (genital)	180	150	172	158	181	189	163	51	5010	5478	5694	584	726.0	0.8
Gonorrhoea	80	65	87	77	71	97	76	14	2445	2043	2168	258	229.7	1.1
Syphilis - Infectious	6	4	8	11	10	11	4	1	266	304	230	26	37.1	0.7
Syphilis - Non-Infectious	8	3	10	10	11	4	6	3	160	126	83	24	15.5	1.5
Vaccine preventable diseases														
Diphtheria				1					2	0	0	0	0.0	0.0
Influenza	40	76	98	163	283	389	417	189	3323	10665	4910	1278	2286.7	0.6
Measles									4	13	2	0	0.8	0.0
Mumps									3	3	6	0	0.3	0.0
Pertussis	25	15	13	12	21	14	9	5	533	794	81	49	24.4	2.0
Pneumococcal infection	2	5	3	5	3	5	9	3	70	84	70	20	17.0	1.2
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	11	14	12	18	9	8	13	2	225	217	220	32	29.6	1.1
Varicella (shingles)	26	37	38	21	29	19	19	2	822	830	889	69	120.2	0.6
Varicella (unspecified)	55	63	65	64	53	60	62	26	1511	1395	1367	201	179.5	1.1
Vector-borne diseases														
Barmah Forest virus									1	5	8	0	0.3	0.0
Chikungunya		1							7	17	4	0	1.0	0.0
Dengue fever	2	1	2	3	4	3	2		93	212	300	9	15.4	0.6
Malaria	1			1	1	1	1		23	8	25	3	2.0	1.5
Murray Valley encephalitis virus	1								1	0	2	0	0.1	0.0
Ross River virus	5	2	4	3	2	1			143	217	65	3	7.1	0.4
Typhus	1					1	1		13	15	12	2	1.5	1.3
Zoonotic diseases														
Q Fever	1				1				3	9	3	1	0.5	2.1
Other diseases														
Acute post-streptococcal glomerulonephritis				1					5	4	7	0	0.3	0.0
Amoebic meningitis		1							1	0	0	0	0.0	0.0
COVID-19	105	97	107	131	112	130	138	63	2290	7128	8454	443	*****	0.0
Creutzfeldt-Jakob disease									1	1	2	0	0.6	0.0
Haemolytic Uraemic Syndrome		1							1	0	0	0	0.0	0.0
Legionellosis		2			2	2			22	23	31	4	4.1	1.0
Leprosy									1	1	0	0	0.0	0.0
Melioidosis									1	2	1	0	0.1	0.0
Meningococcal infection							1		3	5	3	1	0.7	1.5
Mpox							1		33	15	0	3	0.5	6.4
RSV	163	177	278	363	449	558	524	282	4218	3703	2580	1813	1007.6	1.8
Tuberculosis			5	1	4	3		4	77	92	91	11	11.5	1.0
iGAS	5	2	7		7	4	1		75	57	73	12	7.8	1.5
Grand Total	879	828	1026	1185	1376	1626	1553	688						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)					2	0.7		2 (1)	0.8
Hepatitis B (unspecified)	1	6 (8)	7.7	1	8 (12)	10.3	6	20 (21)	12.7
Hepatitis C (newly acquired)		(1)	0.4		(3)	1.8		(6)	3.3
Hepatitis C (re-infection newly acquired)		1	0.6		9	6.1		1	3.2
Hepatitis C (re-infection unspecified)	1	1	0.4		5	2.7			1.3
Hepatitis C (unspecified)	2	12 (11)	8.6	1	12 (15)	20.1	8	20 (23)	14.9
Hepatitis D			0.1			0.1	1	2 (3)	0.9
Enteric diseases									
Campylobacteriosis	6	82 (81)	78.0	6	59 (80)	75.0	7	78 (86)	70.2
Cryptosporidiosis		(9)	3.1		(5)	1.7		2 (16)	3.1
Hepatitis A			0.4			0.8			0.5
Listeriosis	1	2	0.4			0.1			0.5
Paratyphoid fever			0.1			0.1			0.1
Rotavirus		2 (19)	18.7		1 (12)	12.8		2 (11)	16.0
STEC/VTEC infection		1 (2)	1.3		2 (2)	2.2		1 (4)	1.3
Salmonellosis		23 (21)	25.0	1	17 (31)	26.7		8 (18)	19.8
Shigellosis		9 (3)	6.8		1 (5)	6.5		1 (4)	8.4
Typhoid			0.4			0.4		(1)	0.6
Vibrio parahaemolyticus		1	0.5		1	0.8		(1)	0.7
Yersiniosis	1	2 (2)	2.7		1 (4)	3.0			3.3
Sexually transmissible infections									
Chlamydia (genital)	16	159 (222)	176.8	13	174 (227)	202.7	22	251 (266)	235.2
Gonorrhoea	3	52 (71)	74.9	5	85 (86)	101.3	6	121 (126)	123.7
Syphilis - Infectious		5 (10)	6.0	1	10 (11)	10.2		11 (21)	16.3
Syphilis - Non-Infectious	2	7 (3)	4.1		6 (6)	5.3	1	11 (11)	10.0
Vaccine preventable diseases									
Diphtheria			0.1						0.1
H. influenzae type b									
Influenza	58	357*****	139.1	55	381*****	123.4	76	540*****	144.7
Measles		(3)	0.1			0.3		(1)	0.1
Mumps						0.1			0.2
Pertussis		14 (42)	20.9	3	13 (23)	25.6	2	22 (28)	19.3
Pneumococcal infection	1	6 (8)	2.4	2	8 (4)	3.1		6 (13)	3.1
Tetanus						0.1			
Varicella (chicken pox)		13 (16)	8.3	1	6 (13)	8.7	1	13 (16)	10.5
Varicella (shingles)		23 (39)	33.4		19 (38)	32.7	2	27 (36)	34.8
Varicella (unspecified)	9	71 (68)	62.5	5	65 (55)	61.7	12	65 (61)	61.5
Vector-borne diseases									
Barmah Forest virus			0.1						
Chikungunya		(4)	0.2			0.5		(1)	0.1
Dengue fever		2 (7)	5.0		2 (7)	3.4		5 (3)	3.1
Malaria			0.2		2	1.6		1 (2)	1.1
Murray Valley encephalitis virus						0.1			
Ross River virus		1	3.5		2 (1)	8.3			5.9
Typhus		(1)	0.5		2 (1)	0.8		(2)	0.4
Zoonotic diseases									
Leptospirosis									
Q Fever							1		0.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3			0.1
Amoebic meningitis						0.1			
COVID-19	30	134 (638)	101.1	14	153 (443)	87.1	19	156 (670)	92.7
Creutzfeldt-Jakob disease						0.1			
Haemolytic Uraemic Syndrome						0.1			
Legionellosis		(1)	0.5		1 (1)	0.9		3	1.3
Leprosy						0.1			
Melioidosis						0.1			
Meningococcal infection			0.1		1 (1)	0.3			
Mpox		2	1.2			1.3		1	1.4
RSV	95	610 (753)	176.3	70	535 (440)	168.3	117	668 (744)	173.4
Tuberculosis	2	2 (4)	3.0	2	5 (3)	2.6		4 (9)	3.8
iGAS		3 (2)	1.7		3 (4)	3.8		6 (6)	3.8
Grand Total	228	1603 *****		180	1591 *****		280	2049 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)			3.4		(1)	8.9		1	7.4
Hepatitis C (newly acquired)		1 (2)	3.4		2 (3)	14.9			
Hepatitis C (re-infection newly acquired)		1	2.4		3 (2)	5.9			
Hepatitis C (re-infection unspecified)	1	1	0.5						
Hepatitis C (unspecified)		1 (3)	14.0		1 (1)	17.8		3	17.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	5	27 (37)	98.9		7 (9)	99.6		2 (8)	70.0
Cryptosporidiosis		2 (3)	6.8			7.4			1.2
Hepatitis A									
Listeriosis		1	0.5						
Paratyphoid fever									3.7
Rotavirus		(1)	9.2			4.5		1	11.1
STEC/VTEC infection		3 (2)	8.7		1 (1)	13.4		1 (1)	7.4
Salmonellosis	2	7 (4)	29.4		2 (4)	34.2		4 (1)	33.2
Shigellosis		(4)	3.9		(3)	3.0			2.5
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis			1.9						1.2
Sexually transmissible infections									
Chlamydia (genital)	2	24 (45)	121.1	1	8 (9)	117.5	2	7 (12)	86.0
Gonorrhoea	1	14 (10)	47.3		3 (4)	37.2		5 (8)	38.1
Syphilis - Infectious		(2)	2.4		(1)	5.9			4.9
Syphilis - Non-Infectious	1	1 (2)	4.3		(2)	4.5			1.2
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	24	154 (355)	179.9	5	86 (66)	196.3	1	12 (45)	57.7
Measles									
Mumps									
Pertussis		4 (31)	25.6	1	16	199.3		(6)	6.1
Pneumococcal infection		2 (2)	2.4		(1)	5.9	1	2	6.1
Tetanus									
Varicella (chicken pox)		2 (6)	9.2		1 (1)	17.8			7.4
Varicella (shingles)		14 (21)	94.5		7 (7)	133.9		3 (8)	44.2
Varicella (unspecified)							1	1	8.6
Vector-borne diseases									
Barmah Forest virus			2.4						1.2
Chikungunya			0.5						
Dengue fever		1 (3)	3.4		(1)	1.5			3.7
Malaria			0.5						2.5
Murray Valley encephalitis virus									
Ross River virus		3 (2)	28.5		(1)	23.8			8.6
Typhus			0.5						
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever					(1)	1.5			3.7
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.0			3.0			1.2
Amoebic meningitis									
COVID-19	3	36 (140)	87.8		9 (35)	53.5		5 (24)	56.5
Creutzfeldt-Jakob disease									1.2
Haemolytic Uraemic Syndrome									
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox			0.5						
RSV	16	139 (101)	169.8	1	22 (66)	69.9	3	33 (37)	88.4
Tuberculosis			0.5			1.5			
iGAS		(1)	3.4		(1)	3.0			6.1
Grand Total	55	438 (777)		8	168 (220)		8	80 (150)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						1.7		1	3.3
Hepatitis B (unspecified)			7.1	1	2 (2)	13.8	1	1 (2)	6.6
Hepatitis C (newly acquired)			2.8		(1)	1.7			1.7
Hepatitis C (re-infection newly acquired)									
Hepatitis C (re-infection unspecified)			1.4						
Hepatitis C (unspecified)	1	3 (2)	21.2	1	2 (1)	17.2		1 (3)	19.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (5)	87.6		4 (3)	55.1	2	7 (3)	73.0
Cryptosporidiosis			18.4				1	1	8.3
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)	6.9		(2)	10.0
STEC/VTEC infection					(1)	5.2		1 (1)	13.3
Salmonellosis		1 (1)	4.2		3	20.7	1	6 (5)	78.0
Shigellosis		2 (3)	35.3		1	18.9		2 (3)	13.3
Typhoid		(3)	9.9						
Vibrio parahaemolyticus						1.7			
Yersiniosis						1.7			
Sexually transmissible infections									
Chlamydia (genital)	1	12 (17)	231.8	3	15 (20)	290.9	4	30 (31)	381.5
Gonorrhoea	1	7 (10)	120.1	3	9 (19)	179.0	1	25 (18)	306.9
Syphilis - Infectious	1	2	22.6		(2)	24.1		1 (1)	34.8
Syphilis - Non-Infectious		1	14.1			10.3			1.7
Vaccine preventable diseases									
Diphtheria					2	8.6	1	8	59.7
H. influenzae type b									
Influenza	4	12 (101)	114.5	2	58 (94)	118.8	1	3 (28)	49.8
Measles			1.4						
Mumps									
Pertussis		(1)	4.2		4 (4)	27.5		5 (1)	19.9
Pneumococcal infection		(1)	5.7		1 (2)	15.5		2	14.9
Tetanus									
Varicella (chicken pox)		3	12.7		(4)	3.4		1 (1)	11.6
Varicella (shingles)		2 (7)	56.5		3 (6)	65.4		3 (2)	41.5
Varicella (unspecified)		1	9.9						
Vector-borne diseases									
Barmah Forest virus									3.3
Chikungunya									1.7
Dengue fever			2.8		(1)	3.4			
Malaria			1.4						1.7
Murray Valley encephalitis virus									
Ross River virus			5.7		(1)	3.4		(1)	11.6
Typhus			1.4						1.7
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.4			1.7			
Amoebic meningitis									
COVID-19	2	10 (36)	70.7	1	5 (30)	39.6		3 (23)	24.9
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									1.7
RSV	5	33 (16)	117.3	2	34 (27)	108.5	3	13 (9)	102.8
Tuberculosis	1	1	4.2			1.7			
iGAS		1 (1)	11.3		(1)	8.6		1 (1)	10.0
Grand Total	16	94 (204)		13	143 (220)		14	115 (135)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	5 (2)	0.5
Hepatitis B (unspecified)		1 (2)	14.7	10	40 (49)	10.1
Hepatitis C (newly acquired)		1	9.8	0	4 (16)	2.2
Hepatitis C (re-infection newly acquired)				0	15 (2)	2.9
Hepatitis C (re-infection unspecified)				2	7 (0)	1.2
Hepatitis C (unspecified)		2 (2)	31.9	13	58 (64)	15.1
Hepatitis D				1	2 (3)	0.3
Enteric diseases						
Campylobacteriosis	1	4 (9)	73.6	28	275 (326)	77.4
Cryptosporidiosis		(4)	2.5	0	5 (39)	3.4
Hepatitis A				0	0 (3)	0.4
Listeriosis				1	3 (0)	0.3
Paratyphoid fever				0	0 (0)	0.2
Rotavirus		(103)	14.7	0	6 (155)	14.6
STEC/VTEC infection		(3)	22.1	0	12 (19)	3.2
Salmonellosis		1 (13)	88.3	4	73 (103)	27.3
Shigellosis		3 (8)	41.7	0	18 (34)	7.8
Typhoid				0	0 (2)	0.4
Vibrio parahaemolyticus				0	2 (2)	0.6
Yersiniosis			4.9	1	3 (7)	2.7
Sexually transmissible infections						
Chlamydia (genital)	1	31 (53)	824.6	66	723 (912)	212.3
Gonorrhoea	1	26 (35)	689.6	22	355 (393)	109.6
Syphilis - Infectious		1 (7)	122.7	2	32 (55)	12.9
Syphilis - Non-Infectious			17.2	4	26 (26)	6.6
Vaccine preventable diseases						
Diphtheria		13	353.4	1	23 (0)	6.2
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza		16 (40)	189.0	228	1629*****	138.0
Measles				0	0 (4)	0.2
Mumps				0	0 (1)	0.1
Pertussis		1 (1)	4.9	6	79 (137)	25.1
Pneumococcal infection		2 (2)	12.3	4	31 (34)	3.7
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		1	14.7	2	40 (58)	9.5
Varicella (shingles)		3 (3)	81.0	3	109 (174)	43.3
Varicella (unspecified)			4.9	27	204 (188)	50.9
Vector-borne diseases						
Barmah Forest virus			9.8	0	0 (0)	0.5
Chikungunya				0	0 (5)	0.3
Dengue fever				0	10 (22)	3.7
Malaria				0	3 (2)	0.9
Murray Valley encephalitis virus				0	0 (0)	0.0
Ross River virus		1 (1)	66.3	0	7 (7)	8.8
Typhus				0	2 (4)	0.6
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	1 (1)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		2	7.4	0	2 (0)	0.5
Amoebic meningitis				0	0 (0)	0.0
COVID-19	1	1 (16)	71.2	70	519*****	89.0
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				0	4 (2)	0.8
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			7.4	0	0 (0)	0.1
Meningococcal infection				0	1 (2)	0.1
Mpox				0	3 (0)	1.2
RSV	2	6 (9)	485.9	316	2102*****	169.6
Tuberculosis		(1)	2.5	5	12 (17)	1.8
iGAS	1	3 (3)	54.0	1	17 (20)	4.3
Grand Total	7	119 (315)		817	6462*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 28	
	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	2026	2025
Salmonella Total	26	29	24	21	18	31	20	4	825	865
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona			1	1					10	11
Salmonella Albany			1						2	2
Salmonella Anatum	1								5	2
Salmonella Anatum var 15+									1	1
Salmonella Apeyeme	1								1	0
Salmonella Ball									2	0
Salmonella Bareilly									4	26
Salmonella Birkenhead									3	0
Salmonella Bispebjerg		1							3	0
Salmonella Blukwa							1		2	0
Salmonella Bonn									1	3
Salmonella Bootle									1	0
Salmonella Bovismorbificans	1		1		1				7	12
Salmonella Braenderup		1					1		2	3
Salmonella Brandenburg									1	0
Salmonella Cerro									1	2
Salmonella Chailey						1			3	2
Salmonella Chester	1				1	1			27	30
Salmonella Choleraesuis bv Australia									14	10
Salmonella Choleraesuis bv Decatur		1	1						12	8
Salmonella Concord									1	1
Salmonella Corvallis	1								3	5
Salmonella Derby									2	1
Salmonella Eastbourne									4	3
Salmonella Emek					1				2	6
Salmonella Enteritidis	6	3	7	4	1	4	1		102	94
Salmonella Fremantle subsp II		1							3	0
Salmonella Give			1						3	1
Salmonella Give var 15+									1	0
Salmonella Goldcoast			1						1	0
Salmonella Havana		1		1		1			12	5
Salmonella Heidelberg									2	6
Salmonella Houten subsp IV									1	0
Salmonella Hvittingfoss				1					6	11
Salmonella Infantis	2	1	1						29	21
Salmonella Isangi									1	0
Salmonella Javiana		1							2	4
Salmonella Kedougou									1	0
Salmonella Kentucky		1							15	14
Salmonella Kiambu									2	10
Salmonella Kottbus			1						4	2
Salmonella Lexington									1	1
Salmonella Livingstone		1							2	0
Salmonella Llandoff									1	0
Salmonella London									3	0
Salmonella Mbandaka		1		1					7	2
Salmonella Mgulani									1	0

Weekly Report for period 21-MAY-26 to 15-JUL-26

	27/05	03/06	10/06	17/06	24/06	01/07	08/07	15/07	Cumulative Total to end of Week 28	
									2026	2025
Salmonella Total	26	29	24	21	18	31	20	4	825	865
Serotype/Phage										
Salmonella Montevideo									1	1
Salmonella Muenchen	1	1	1			1			18	11
Salmonella Muenster									4	1
Salmonella Muenster var 15+					1				2	2
Salmonella Newport	2	2			1				20	25
Salmonella Ohio									1	1
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	2
Salmonella Orion									2	2
Salmonella Oslo		1							2	2
Salmonella Paratyphi B bv Java	3	1	3	4	4	2			69	79
Salmonella Poona									8	2
Salmonella Potsdam					1				3	7
Salmonella Reading				1	1				10	7
Salmonella Rissen	1								5	2
Salmonella Rubislaw									2	2
Salmonella Saintpaul	2			1		2			26	27
Salmonella Senftenberg				1					4	6
Salmonella Singapore	1								8	5
Salmonella Stanley	1	3			1				21	33
Salmonella Tennessee									8	5
Salmonella Thompson									4	6
Salmonella Typhimurium	1	3	1	3	2	4	2		109	165
Salmonella Uganda var 15+									1	0
Salmonella Urbana									3	2
Salmonella Virchow	1		1		1	1			27	35
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									2	1
Salmonella Wangata		1							3	5
Salmonella Waycross									1	0
Salmonella Welikade									2	2
Salmonella Weltevreden		1	1			2			18	17
Salmonella Weltevreden var 15+									1	6
Salmonella Zanzibar									4	3
Salmonella species		2	2	3	2	12	15	4	103	88
Salmonella subsp 1 ser 4,5:i:-		1							13	2
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0