





ADULT MEDICATION GUIDELINE

MISOPROSTOL

This document should be read in conjunction with this [DISCLAIMER](#)

Presentation	Tablet: 200microg
Dose and Administration	Refer to relevant KEMH Clinical Guidelines for appropriate dose regimes (links below)
Pregnancy	1st Trimester: Contraindicated 2nd Trimester: Contraindicated 3rd Trimester: Contraindicated
Breastfeeding	Considered safe to use
Monitoring	Refer to relevant KEMH Clinical Guidelines (links below)
Clinical Guidelines and Policies	WNHS Restricted Area Guidelines (Intranet only) WNHS CMP Clinical Guidelines: Administration of Misoprostol (Intranet Only) WNHS Clinical Guidelines Pharmacological Management of Uterine Tone at Caesarean Birth
References	MIMS Australia. Misoprostol. In: MIMS Online [Internet]. St Leonards (New South Wales): MIMS Australia; 2016 [cited 2017 Nov 22]. Available from: https://www.mimsonline.com.au The Royal Women's Hospital. Misoprostol. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2016 [cited 2017 Nov 22]. Available from: https://thewomenspbmg.org.au/

Keywords:	Misoprostol, miscarriage, post-partum haemorrhage, termination, prostaglandin		
Publishing:	<input checked="" type="checkbox"/> Intranet <input checked="" type="checkbox"/> Internet		
Document owner:	Chief Pharmacist		
Author / Reviewer:	KEMH Pharmacy Department		
Date first issued:	August 2015	Version:	
Last reviewed:	November 2017, amended Aug 2018	Next review date:	Nov 2020
Endorsed by:	Medicines and Therapeutics Committee	Date:	Jan 2018
Standards Applicable:	NSQHS Standards: 1  Governance, 4  Medication Safety		
<p>Printed or personally saved electronic copies of this document are considered uncontrolled.</p> <p>Access the current version from the WNHS website.</p> <p>For any enquiries relating to this guideline, please email KEMH.PharmacyAdmin@health.wa.gov.au</p>			

© Department of Health Western Australia 2017