

## ADULT MEDICATION GUIDELINE

## **ALBENDAZOLE**

This document should be read in conjunction with this **DISCLAIMER** 

## **Antimicrobial Restriction - Unrestricted**

Presentation	Tablet: 200mg			
Dose	Threadworm, roundworm, hookworm infection			
	Oral:			
	400mg as a single dose			
	For threadworm, consider repeating the dose after TWO weeks due to frequency of re-infection			
	<u>Strongyloidiasis</u>			
	Oral:			
	400mg with fatty food, 12 hourly for 3 days.			
	Repeat course after 7 to 14 days.			
	Other Indications			
	Refer to eTG			
Administration	<u>Oral</u>			
	Take on empty stomach for intestinal infections			
	Take with food for systemic infections			
Pregnancy	1 <sup>st</sup> Trimester: Consider alternative			
	2 <sup>nd</sup> Trimester: Consider alternative			
	3 <sup>rd</sup> Trimester: Consider alternative			
Breastfeeding	Considered safe to use			
Monitoring	Monitor liver function and blood counts during prolonged treatment			
Clinical guidelines and policies	WNHS Policy: Antimicrobial Stewardship at KEMH			

References	Therapeutic Guidelines. Strongyloidiasis. In: eTG complete [Internet]. West Melbourne (Victoria): Therapeutic Guidelines; 2017 [cited 2017 Mar 23]. Available from: https://tgldcdp.tg.org.au
	Australian Medicines Handbook. Albendazole. In: Australian Medicines Handbook [Internet]. Adelaide (South Australia): Australian Medicines Handbook; 2017 [cited 2017 Mar 23]. Available from: https://amhonline.amh.net.au/
	The Royal Women's Hospital. Albendazole. In: Pregnancy and Breastfeeding Medicines Guide [Internet]. Parkville (Victoria): The Royal Women's Hospital; 2016 [cited 2017 Apr 12]. Available from: https://thewomenspbmg.org.au/

Keywords:	Albendazole, threadworm, roundworm, hookworm, parasite, strongyloidiasis, worms				
Publishing:					
Document owner:	Chief Pharmacist				
Author / Reviewer:	Pharmacy Department				
Date first issued:		Version:	3.0		
Last reviewed:	March 2017	Next review date:	March 2020		
Endorsed by:	Medicine and Therapeutic Committee Date:				
Standards Applicable:	NSQHS Standards: 1 Governance, 3 Infection Control, 4 Medication Safety				

Printed or personally saved electronic copies of this document are considered uncontrolled.

Access the current version from the WNHS website.

For any enquiries relating to this guideline, please email <a href="mailto:KEMH.PharmacyAdmin@health.wa.gov.au">KEMH.PharmacyAdmin@health.wa.gov.au</a>

© Department of Health Western Australia 2018